


# wires products



# Whites Group



Whites Group is an Australian family owned company dedicated to meeting the needs of rural and hardware markets through innovative design solutions, and producing quality products at a competitive price.

Our determination to be the best we can, drives continuous improvement in our product ranges. For the most up-to-date details on all our products, visit our website at [www.whitesgroup.com.au](http://www.whitesgroup.com.au)

## Our Brands



**Whites Wires** has been a trusted name in rural and hardware markets for almost 40 years, offering a wide range of fence posts, barbed and fence wire, gates and fittings, mesh, netting & accessories.



**Whites Outdoor** provides lifestyle solutions for around the home and garden. The range includes our Australian Design Registered Retain-iT and StayMesh ranges, tarpaulins, pegs, pins, plant support, garden and landscaping products.



**Whites On-Site** reflects the needs of the construction industry and serious DIYers. The range includes reinforcing meshes, concreting accessories, a wide assortment of safety tapes and barriers, and sediment control products.
















# Contents



Welcome to Whites Wires.

A trusted name in rural and hardware markets for almost 40 years, we offer the most comprehensive range of wire, mesh, netting, posts and accessories available in the Southern Hemisphere.

Whites Wires - Taking Your Fencing Further

<b>4</b>		<b>Fence Wire &amp; Barbed Wire</b>
<b>5</b>		<b>Tie Wire &amp; Wire Rope</b>
<b>6</b>		<b>Ultraposts, Garden Posts &amp; Droppers</b>
<b>7</b>		<b>Stockpost</b>
<b>8</b>		<b>Gates</b>
<b>9</b>		<b>Gate Fittings</b>
<b>10</b>		<b>Hinged Joint</b>
<b>11</b>		<b>Farm Mesh &amp; Chain Mesh</b>
<b>12</b>		<b>Project Mesh, Panels, Dog &amp; Boundary</b>
<b>13</b>		<b>Cages, Pens &amp; Garden</b>
<b>14</b>		<b>HandyPak Mesh &amp; Netting</b>
<b>15</b>		<b>Rural Netting</b>
<b>16</b>		<b>Staples &amp; Fasteners</b>
<b>17</b>		<b>Joiners, Strainers &amp; Fencing Tools</b>
<b>18</b>		<b>Industrial</b>





10163

10171

10011

10165



10034



55000

55100



10102

10150

## Fence Wire

Our range of soft, medium and high tensile fence wires available in standard and heavy hot-dipped galvanised finishes. Also available, high performance red wire with zinc-alu coating for extra corrosion resistance.

Code	Description
<b>FENCE WIRE - SOFT</b>	
10163	3.15mm Std Galvanised 750m
10161	4.00mm Std Galvanised 500m
10002	3.15mm Std Galvanised - Aust. 750m
10001	4.00mm Std Galvanised - Aust. 500m
<b>FENCE WIRE - MEDIUM TENSILE</b>	
10170	2.50mm Std Galvanised 1500m
10004	2.50mm Std Galvanised - Aust. 1500m
10014	2.50mm Heavy Galvanised - Aust. 1500m
<b>FENCE WIRE - HIGH TENSILE</b>	
10171	2.50mm Std Galvanised 1500m
10005	2.50mm Std Galvanised - Aust. 1500m
10003	2.80mm Std Galvanised - Aust. 1000m
10015	2.50mm Heavy Galvanised - Aust. 1500m
<b>HORSE SIGHTER - WHITE PVC COATED (Wire Diameter incl. PVC Coating)</b>	
10169	5.20mm Coated Fence Wire 400m
10009	5.20mm Coated Fence Wire - Aust. 400m
<b>HANDYFENCE - STANDARD GALVANISED</b>	
10011	2.50mm Medium Tensile 300m
10012	3.00mm Soft Fence 250m

<b>TIE WIRE GALVANISED - STANDARD, 50kg</b>	
10166	1.57 mm Tie Wire - Std Galvanised, Soft 3200m
10165	2.00 mm Tie Wire - Std Galvanised, Soft 2000m
10164	2.50 mm Tie Wire - Std Galvanised, Soft 1300m
50505	1.57mm Tie Wire Galvanised Spool 640m

<b>ELECTRIC RED - MEDIUM TENSILE</b>	
10036	2.50mm Medium, RED Zinc Alum. Finish 300m
10034	2.50mm Medium, RED Zinc Alum. Finish 1000m

FENCE WIRE	REC. TENSION	BREAKING STRAIN
3.15mm SOFT	1.2kN	3.0kN
4.00mm SOFT	1.8kN	4.8kN
2.50mm MEDIUM TENSILE	1.3kN	3.7kN
2.50mm HIGH TENSILE	1.8kN	5.4kN
2.80mm HIGH TENSILE	2.0kN	6.8kN
5.20mm HORSE SIGHTER	2.0kN	6.0kN

## Barbed Wire

Choose from high tensile reverse-twist for optimum strength and tensioning, or traditional continuous-twist Iowa barbed wire.

Code	Description
<b>BARBED WIRE - HIGH TENSILE</b>	
10133	1.80mm Heavy Galv 500m
10101	1.80mm Heavy Galv - Aust. 500m
10132	1.57mm Heavy Galv 500m
10102	1.57mm Heavy Galv - Aust. 500m
55000	1.57mm Handypak Carton 30m
55100	1.57mm Handypak Spool 100m
<b>BARBED WIRE - IOWA PATTERN</b>	
10150	2.50mm IOWA Std Galv - Aust. 400m


BARBED WIRE	REC. TENSION	BREAKING STRAIN
1.57mm HIGH TENSILE	1.3kN	3.0kN
1.80mm HIGH TENSILE	1.3kN	4.0kN
2.50mm IOWA	1.3kN	3.0kN



## Tie Wire

The right wire for every job!  
Wire Pak and Farm Pak available in our traditional, convenient dispensing frames.


Code	Description
<b>Small Packs</b>	
<b>TIE WIRE GALVANISED - WIREPAK (Wire Dispensing Frame)</b>	
50214	2.00mm Wirepak - green label 15m
50215	1.57mm Wirepak - blue label 20m
50216	1.25mm Wirepak - red label 30m
50217	0.90mm Wirepak - yellow label 50m
50218	0.70mm Wirepak - purple label 75m
<b>TIE WIRE GALVANISED - HANDYPAK</b>	
50004	2.00mm Handypak - green label 20m
50005	1.57mm Handypak - blue label 30m
50006	1.25mm Handypak - red label 50m
50007	0.90mm Handypak - yellow label 75m
50008	0.70mm Handypak - purple label 75m
<b>TIE WIRE GALVANISED - 1kg</b>	
50013	2.50mm Tie Wire Galvanised - tan label 24m
50014	2.00mm Tie Wire Galvanised - green label 40m
50015	1.57mm Tie Wire Galvanised - blue label 60m
50016	1.25mm Tie Wire Galvanised - red label 95m
50017	0.90mm Tie Wire Galvanised - yellow label 190m
<b>TIE WIRE PVC COATED</b>	
50212	1.6mm Tie Wire PVC - Black 20m
50213	1.6mm Tie Wire PVC - Green 20m
50415	1.57mm Tie Wire PVC - Green 50m
<b>Bulk Packs</b>	
<b>TIE WIRE GALVANISED - FARMPAK (Wire Dispensing Frame)</b>	
50224	2.00mm Farmpak - green label 120m
50225	1.57mm Farmpak - blue label 200m
50226	1.25mm Farmpak - red label 300m
<b>TIE WIRE GALVANISED - 3kg</b>	
50030	4.00mm Tie Wire Galvanised - white label 30m
50031	3.15mm Tie Wire Galvanised - black label 48m
50033	2.50mm Tie Wire Galvanised - tan label 72m
50034	2.00mm Tie Wire Galvanised - green label 120m
50035	1.57mm Tie Wire Galvanised - blue label 180m
50036	1.25mm Tie Wire Galvanised - red label 285m
50037	0.90mm Tie Wire Galvanised - yellow label 570m
<b>TIE WIRE GALVANISED - 5kg</b>	
50050	4.00mm Tie Wire Galvanised - white label 50m
50051	3.15mm Tie Wire Galvanised - black label 80m
50053	2.50mm Tie Wire Galvanised - tan label 120m
50054	2.00mm Tie Wire Galvanised - green label 200m
50055	1.57mm Tie Wire Galvanised - blue label 320m
<b>TIE WIRE GALVANISED - 10kg</b>	
50100	4.00mm Tie Wire Galvanised - white label 100m
50101	3.15mm Tie Wire Galvanised - black label 160m
50103	2.50mm Tie Wire Galvanised - tan label 240m
50104	2.00mm Tie Wire Galvanised - green label 400m
50105	1.57mm Tie Wire Galvanised - blue label 640m
<b>Stainless Steel</b>	
<b>TIE WIRE - GRADE 304 STAINLESS STEEL</b>	
50210	1.60mm Tie Wire S/Steel - retail blister pack 15m
50815	1.60mm Tie Wire S/Steel 60m
50835	1.60mm Tie Wire S/Steel 180m



Label colour	Wire Diameter	Suggested Uses
Purple	0.70mm	Hobby, toys, flower arrangements
Yellow	0.90mm	Hobby and garden work
Red	1.25mm	Light tying jobs, trellis, garden
Blue	1.57mm	Netting to line wires, plant support, lacing wires
Green	2.00mm	Heavy tie wire, hinged joint to posts
Tan	2.50mm	Heavy tie wire, brush fencing
Black	3.15mm	Fencing, bracing wire
White	4.00mm	Fencing, horse paddock, bracing wire

## Wire Rope

Code	Diameter (mm) / Strands / Grade
<b>WIRE ROPE - GALVANISED</b>	
23802	2.00 / 7 x 7 / 1570 x 10m
23803	3.00 / 7 x 7 / 1570 x 10m
23804	4.00 / 7 x 7 / 1570 x 10m
23805	5.00 / 7 x 19 / 2070 x 10m
<b>WIRE ROPE CUTTER</b>	
12020	Wire Rope Cutter



45cm 60cm 90cm 135cm 150cm 165cm 180cm 240cm



## Ultrapost

Ultrapost is a steel post boasting a unique combination of strength and light weight, with a choice of quality coatings. Ideal for home, farm or work-site.

Code	Description
<b>ULTRAPOST® - BLACK</b>	
10751	45cm (18") Black
10752	60cm (2') Black
10753	90cm (3') Black
10754	135cm (4'6") Black
10759	150cm (5') Black
10755	165cm (5'6") Black
10756	180cm (6') Black
10758	240cm (8') Black
<b>ULTRAPOST® - HOT DIP GALVANISED</b>	
10764	135cm (4'6") Hot Dip Galvanised
10767	150cm (5') Hot Dip Galvanised
10765	165cm (5'6") Hot Dip Galvanised
10766	180cm (6') Hot Dip Galvanised
10768	240cm (8') Hot Dip Galvanised

## Site Post

Powder-coated safety yellow. Unique notching system makes erecting barrier mesh and safety tapes/flags easy.

Code	Description
<b>ULTRAPOST® - SITE POST - SAFETY YELLOW</b>	
10779	Site Post Yellow

## Garden Posts

Use as a post, stake or fence extension. Green, powder coated, lightweight steel post with specially designed lugs for fixing of mesh or netting.

Code	Description
<b>GARDEN POSTS - GREEN with NOTCHED LUGS</b>	
10721	Garden Post 1m
10720	Garden Post 1.7m

## Post Brackets


Repair or build - ideal for maintaining paling fences, putting up signs and single sleeper walls. Fits Ultrapost or standard steel posts.

Code	Description
<b>POST BRACKETS - FOR POSTS &amp; TIMBER RAILS</b>	
12215	Post Bracket - Flat
12216	Post Bracket - Rail
12217	Post Bracket - Corner
<b>STAKE DRIVER - FOR ULTRAPOSTS &amp; STAKES</b>	
12204	Stake Driver

## Droppers

High tensile and heavily galvanised. Used for rural fencing in combination with fence posts to erect cost-effective fences.

Code	Description
<b>DROPPERS - Bundles of 25</b>	
10510	63.5cm (25") Steel Fence Droppers
10511	81.5cm (32") Steel Fence Droppers
10512	94cm (37") Steel Fence Droppers
10514	107cm (42") Steel Fence Droppers
10515	117cm (47") Steel Fence Droppers
<b>DROPPER CLIPS</b>	
10516	Dropper Clips 500gm





## Stockpost


The high performance post without the high price tag. Stockpost is the steel fence post that's Made Stronger, Lasts Longer, Goes Further. Available in slings, bundles of 10.

Code	Description
<b>STOCKPOST® - BLACK BITUMINOUS</b>	
10804	135cm STOCKPOST (4'6") Black
10807	150cm STOCKPOST (5') Black
10805	165cm STOCKPOST (5'6") Black
10806	180cm STOCKPOST (6') Black
10809	210cm STOCKPOST (7') Black
10808	240cm STOCKPOST (8') Black
<b>STOCKPOST® - HOT DIP GALVANISED</b>	
10814	135cm STOCKPOST (4'6") Hot Dip Galvanised
10817	150cm STOCKPOST (5') Hot Dip Galvanised
10815	165cm STOCKPOST (5'6") Hot Dip Galvanised
10816	180cm STOCKPOST (6') Hot Dip Galvanised
10819	210cm STOCKPOST (7') Hot Dip Galvanised
10818	240cm STOCKPOST (8') Hot Dip Galvanised

## Stockpost - Ute Pack

Pack of 200 singles. Secure steel cradle, no tie wires. Made Stronger, Lasts Longer, Goes Further.


Code	Description
<b>STOCKPOST® - BLACK BITUMINOUS</b>	
10801	165cm STOCKPOST Ute Pack (5'6") Black
10802	180cm STOCKPOST Ute Pack (6') Black
<b>STOCKPOST® - HOT DIP GALVANISED</b>	
10811	165cm STOCKPOST Ute Pack (5'6") Hot Dip Galvanised
10812	180cm STOCKPOST Ute Pack (6') Hot Dip Galvanised



- ✔ High strength, high consistency
- ✔ Coatings that withstand the test of time
- ✔ Innovative ground mark
- ✔ Hole alignment that's straight up
- ✔ Easy to drive




For more information on Stockpost, please visit [www.stockpost.com.au](http://www.stockpost.com.au) or scan the QR code.




**MADE STRONGER  
LASTS LONGER  
GOES FURTHER**









I-stay



N-stay



Bar



Chain Mesh Gate

## Farm Gates

Whites Wires Gates are manufactured for Australian conditions. Range varies state by state based on local fencing requirements.

Code	Description
<b>MESH GATES</b>	
13122	2'8" (830mm) Mesh Farm Gate
13123	3'3" (1000mm) Mesh Farm Gate
13124	4' (1200mm) Mesh Farm Gate
13105	5' (1500mm) Mesh Farm Gate
13106	6' (1800mm) Mesh Farm Gate
13108	8' (2400mm) Mesh Farm Gate "I" Stay
13110	10' (3000mm) Mesh Farm Gate "I" Stay
13112	12' (3600mm) Mesh Farm Gate "I" Stay
13114	14' (4200mm) Mesh Farm Gate "I" Stay
13116	16' (4800mm) Mesh Farm Gate "II" Stay
<b>MESH GATES "N" STAY</b>	
13308	8' (2400mm) to suit LH Hinging
13310	10' (3000mm) to suit LH Hinging
13312	12' (3600mm) to suit LH Hinging
13314	14' (4200mm) to suit LH Hinging
13316	16' (4800mm) to suit LH Hinging
<b>BAR GATES</b>	
13208	8' (2400mm) Farm Gate "I" Stay, 5 Bar
13210	10' (3000mm) Farm Gate "I" Stay, 5 Bar
13212	12' (3600mm) Farm Gate "I" Stay, 5 Bar
13214	14' (4200mm) Farm Gate "II" Stay, 5 Bar
13216	16' (4800mm) Farm Gate "II" Stay, 5 Bar

Manufactured from 25NB pipe with a 2.2mm wall thickness, hot dipped galvanised pipe inside and outside, for maximum protection.

- Farm gates are 1150mm high
- Mesh farm Gates are manufactured using 5.00mm galvanised wire with apertures of 200x100mm
- Supplied with the traditional 'Shut The Gate Mate' sign

(measurements are nominal)

<b>MESH GATES - "V" Stay (WA)</b>	
13708	8' (2400mm) Mesh Gate "V" Stay
13710	10' (3000mm) Mesh Gate "V" Stay
13712	12' (3600mm) Mesh Gate "V" Stay
13714	14' (4200mm) Mesh Gate "V" Stay
13716	16' (4800mm) Mesh Gate "V" Stay
<b>MESH GATES (WA)</b>	
13403	3'3" (1000mm) Mesh Farm Gate w/Collar
13404	4' (1200mm) Mesh Farm Gate w/Collar
13405	5' (1500mm) Mesh Farm Gate w/Collar
13406	6' (1800mm) Mesh Farm Gate w/Collar
13408	8' (2400mm) Mesh Farm Gate "I" Stay w/Collar
13410	10' (3000mm) Mesh Farm Gate "I" Stay w/Collar
13412	12' (3600mm) Mesh Farm Gate "I" Stay w/Collar
13414	14' (4200mm) Mesh Farm Gate "II" Stay w/Collar
13416	16' (4800mm) Mesh Farm Gate "II" Stay w/Collar


## Chain Mesh Gate

Code	Description
<b>CHAIN MESH GATE</b>	
13100	6' x 3' (1800mm) Chain Mesh Gate

## Gate Fittings Sets

Galvanised steel fittings. A range of convenient packs to suit drop latch, ring latch and pedestrian gate requirements.


Code	Description
<b>GATE FITTING SETS - DROP LATCH</b>	
13822	FG2 Drop Latch - Economy Pack
13824	FG4 Drop Latch - Heavy Duty Long Pack
13829	FG9 Drop Latch - Heavy Duty Pack
13825	FG15 Drop Latch - Multi-Fit Pack
13820	FG20 Drop Latch - Suits Collared Gates (WA)
<b>GATE FITTING SETS - RING LATCH</b>	
13801	FG1 Ring Latch - General Purpose Gate Pack
13802	FG2 Ring Latch - Economy Pack
13804	FG4 Ring Latch - Heavy Duty Long Pack
13809	FG9 Ring Latch - Heavy Duty Pack
13815	FG15 Ring Latch - Multi-Fit Pack
13821	FG20 Ring Latch - Suits Collared Gates (WA)
<b>GATE FITTINGS SETS - PEDESTRIAN</b>	
13790	Drop Latch Gate Fitting



## Individual Fittings

Galvanised fittings. Individual pieces to suit most gates.

Code	Description
<b>INDIVIDUAL FITTINGS</b>	
13862	Top Strap (S3) - Screw / Weld on
13873	Gudgeon (G13) - Screw / Weld on
13875	Gudgeon (WG34) - Weld on 25mm
13839	Pin (WP16) - Weld on 16mm
13837	Pin (WP20) - Weld on 20mm
13835	Pin (WP27) - Weld on 27mm
13840	Sleeve (WS16) - Weld on 16mm
13838	Sleeve (WS20) - Weld on 20mm
13836	Sleeve (WS27) - Weld on 27mm
13833	Drop Latch & Eyelet
13830	Ring Latch & Catch
<b>DOUBLE GATE BOW</b>	
13850	Double Gate Bow




## Fastyard

Code	Description
<b>FASTYARD™ FITTINGS</b>	
13701	Fastyard™ Male Clamp w/bolt
13702	Fastyard™ Female Clamp w/bolt
13705	Fastyard™ Two Pin Base
13706	Fastyard™ Three Pin Base Extender
13709	Fastyard™ Telescopic Stay, Adjustable
14212	450mm Galvanised Peg (Ctn 25)



Transform gates into working yards. Quick and easy assembly, no welding or specialist tools required. Hot-dipped galvanised.



10281



10291



10293



10299

## Hinged Joint

Australian made and designed to resist high stock pressures in grazing applications. High tensile line wires, 2.50mm standard galvanised to AS4534.

Code	Line Wires	Height (cm)	Picket Spacing (cm)
<b>HINGED JOINT</b>			
10291	6 / 70 / 30	x 200m	
10292	6 / 90 / 30	x 200m	
10293	7 / 90 / 30	x 200m	
10294	8 / 90 / 30	x 200m	
10301	8 / 115 / 30	x 200m	
10295	8 / 80 / 15	x 100m	
10298	8 / 90 / 15	x 100m	
10299	8 / 115 / 15	x 100m	
10300	11 / 142 / 15	x 100m	

Also available:  
Premium Hinged Joint in New South Wales.

## Wild Dog Hinged Joint

Tight picket spacings protect against feral animals. High tensile 2.0mm line and picket wires, 2.5mm top and bottom wires, heavily galvanised to AS4534.


Code	Line Wires	Height (cm)	Picket Spacing (cm)
<b>HINGED JOINT WILD DOG</b>			
10287	13 / 115 / 15	x 100m	

## Farmlite Hinged Joint

Hinged joint for hobby and rural farming. 2.00mm wires, standard galvanised.

Code	Line Wires	Height (cm)	Picket Spacing (cm)
<b>HINGED JOINT FARMLITE</b>			
10281	8 / 90 / 15	x 100m	
10282	8 / 115 / 15	x 100m	

Also available:  
Ring Joint pre-fabricated fencing in South Australia





## Farm Mesh HD

Heavy duty, general purpose mesh. 2.50mm wire, standard galvanised. Heavy welded construction, flush cut edges.

Code	Height (cm)	Aperture (mm)	Wire Diameter (mm)
<b>FARM MESH - HEAVY DUTY</b>			
21982	90	75 x 50	2.50 x 30m
21980	90	100 x 100	2.50 x 30m
21983	120	75 x 50	2.50 x 30m
21981	120	100 x 100	2.50 x 30m
21988	180	75 x 50	2.50 x 30m
21989	180	100 x 100	2.50 x 30m

Farm Mesh HD is ideal for variety of applications including

- animal enclosures, cages, trailer enclosures, fencing
- tree guards, window guards, safety screens, drainage grids
- shelves, racks, partitions



21981

21982



21983

21980

## Farm Mesh HG


Often referred to as Crab Pot Mesh. 2.50mm soft wire, heavily galvanised to AS4534. Heavy welded construction, flush cut edges.

Code	Height (cm)	Aperture (mm)	Diameter (mm)
<b>FARM MESH - HEAVY GALV</b>			
22682	90	75 x 50	2.50 x 10m
22683	90	75 x 50	2.50 x 30m
22684	120	75 x 50	2.50 x 30m



22684

22683



17305

17306

## Chain Mesh

Australian made, standard galvanised, 2.50mm wire diameter, 50mm Diamond.

Code	Height (cm)	Aperture (mm)	Wire Diameter (mm)
<b>CHAIN MESH - "50MM DIAMOND"</b>			
17303	90	50	2.50 x 20m Knuckle / Knuckle
17304	120	50	2.50 x 20m Knuckle / Knuckle
17305	150	50	2.50 x 20m Knuckle / Knuckle
17306	180	50	2.50 x 20m Knuckle / Knuckle

Also available:  
Chain Mesh 60mm Diamond in some states





22322

21971

22376

22345



Mini Mesh



Panel Mesh



22004

22010

22001

21417

21020

## Project Mesh

General purpose welded mesh for workshop, home and industrial usage. 2.00mm medium tensile galvanised wire.

Code Height (cm) / Aperture (mm) / Wire Diameter (mm)

### PROJECT MESH - MEDIUM DUTY

21971	90	/ 25 x 25	/ 2.00 x 20m
22322	90	/ 50 x 50	/ 2.00 x 30m
22376	90	/ 75 x 50	/ 2.00 x 10m
22375	90	/ 75 x 50	/ 2.00 x 30m
22345	90	/ 100 x 100	/ 2.00 x 10m
22344	90	/ 100 x 100	/ 2.00 x 30m
21972	120	/ 25 x 25	/ 2.00 x 20m
22422	120	/ 50 x 50	/ 2.00 x 30m
22476	120	/ 75 x 50	/ 2.00 x 10m
22475	120	/ 75 x 50	/ 2.00 x 30m
22445	120	/ 100 x 100	/ 2.00 x 10m
22444	120	/ 100 x 100	/ 2.00 x 30m
21976	180	/ 25 x 25	/ 2.00 x 20m
22622	180	/ 50 x 50	/ 2.00 x 30m
22675	180	/ 75 x 50	/ 2.00 x 30m
22644	180	/ 100 x 100	/ 2.00 x 30m

## Panel Mesh

Extra heavy duty, easy to use galvanised mesh panels. Flush cut edges for easy handling.

Code Size (mm) / Aperture (mm) / Wire Diameter (mm)

### MESH PANELS - EXTRA HEAVY DUTY

21868	1800 x 1200	/ 25 x 25	/ 2.50
21870	1800 x 1200	/ 50 x 50	/ 3.15
21871	1800 x 1200	/ 50 x 50	/ 4.00
21867	1800 x 1200	/ 75 x 50	/ 4.00
21866	1800 x 1200	/ 100 x 100	/ 5.00
21898	2400 x 1200	/ 25 x 25	/ 2.25
21888	2400 x 1200	/ 25 x 25	/ 2.50
21880	2400 x 1200	/ 50 x 50	/ 3.15
21897	2400 x 1200	/ 75 x 50	/ 3.50
21887	2400 x 1200	/ 75 x 50	/ 4.00
21896	2400 x 1200	/ 100 x 100	/ 4.00
21886	2400 x 1200	/ 100 x 100	/ 5.00

### PANEL FIXING CLIPS

12390	Panel Fixing Clips Pk 8
-------	-------------------------

## Mini Mesh

Galvanised welded steel panels. Handy size, 600x900mm for minimal waste. Ideal for pet, garden and DIY projects.

Code Size (mm) / Aperture (mm) / Wire Diameter (mm)

### MINI MESH PANELS

21812	600 x 900	/ 12.7 x 12.7	/ 1.50
21813	600 x 900	/ 25 x 25	/ 2.20
21814	600 x 900	/ 50 x 50	/ 3.00
21815	600 x 900	/ 25 x 25	/ Black PVC coated

## Dog & Boundary Mesh

Graduated mesh ideal for pet-resistant fencing. HD Dog Mesh for large dogs, MD Dog Mesh for smaller non-aggressive dogs. For large, aggressive dogs we recommend Chain Mesh

Code Height (cm) / Aperture / Wire Diameter (mm)

### DOG MESH - HEAVY DUTY

22004	120	/ graduated	/ 2.50 x 30m
22008	180	/ graduated	/ 2.50 x 30m

### DOG MESH - MEDIUM DUTY

22010	120	/ graduated	/ 2.00 x 10m
22001	120	/ graduated	/ 2.00 x 30m
22002	180	/ graduated	/ 2.00 x 30m

### GUARD MESH

21417	120	/ two graduations	/ 2.50 / 2.18 x 10m
-------	-----	-------------------	---------------------

### PUPPY EDGING

21020	70	/ two graduations	/ 2.00 / 1.60 x 10m
-------	----	-------------------	---------------------





22322

21971

22376

22345



Mini Mesh



Panel Mesh



22004

22010

22001

21417

21020

## Project Mesh

General purpose welded mesh for workshop, home and industrial usage. 2.00mm medium tensile galvanised wire.

Code	Height (cm) / Aperture (mm) / Wire Diameter (mm)
<b>PROJECT MESH - MEDIUM DUTY</b>	
21971	90 / 25 x 25 / 2.00 x 20m
22322	90 / 50 x 50 / 2.00 x 30m
22376	90 / 75 x 50 / 2.00 x 10m
22375	90 / 75 x 50 / 2.00 x 30m
22345	90 / 100 x 100 / 2.00 x 10m
22344	90 / 100 x 100 / 2.00 x 30m
21972	120 / 25 x 25 / 2.00 x 20m
22422	120 / 50 x 50 / 2.00 x 30m
22476	120 / 75 x 50 / 2.00 x 10m
22475	120 / 75 x 50 / 2.00 x 30m
22445	120 / 100 x 100 / 2.00 x 10m
22444	120 / 100 x 100 / 2.00 x 30m
21976	180 / 25 x 25 / 2.00 x 20m
22622	180 / 50 x 50 / 2.00 x 30m
22675	180 / 75 x 50 / 2.00 x 30m
22644	180 / 100 x 100 / 2.00 x 30m

## Panel Mesh

Extra heavy duty, easy to use galvanised mesh panels. Flush cut edges for easy handling.

Code	Size (mm) / Aperture (mm) / Wire Diameter (mm)
<b>MESH PANELS - EXTRA HEAVY DUTY</b>	
21868	1800 x 1200 / 25 x 25 / 2.50
21870	1800 x 1200 / 50 x 50 / 3.15
21871	1800 x 1200 / 50 x 50 / 4.00
21867	1800 x 1200 / 75 x 50 / 4.00
21866	1800 x 1200 / 100 x 100 / 5.00
21898	2400 x 1200 / 25 x 25 / 2.25
21888	2400 x 1200 / 25 x 25 / 2.50
21880	2400 x 1200 / 50 x 50 / 3.15
21897	2400 x 1200 / 75 x 50 / 3.50
21887	2400 x 1200 / 75 x 50 / 4.00
21896	2400 x 1200 / 100 x 100 / 4.00
21886	2400 x 1200 / 100 x 100 / 5.00
<b>PANEL FIXING CLIPS</b>	
12390	Panel Fixing Clips Pk 8

## Mini Mesh

Galvanised welded steel panels. Handy size, 600x900mm for minimal waste. Ideal for pet, garden and DIY projects.

Code	Size (mm) / Aperture (mm) / Wire Diameter (mm)
<b>MINI MESH PANELS</b>	
21812	600 x 900 / 12.7 x 12.7 / 1.50
21813	600 x 900 / 25 x 25 / 2.20
21814	600 x 900 / 50 x 50 / 3.00
21815	600 x 900 / 25 x 25 / Black PVC coated

## Dog & Boundary Mesh

Graduated mesh ideal for pet-resistant fencing. HD Dog Mesh for large dogs, MD Dog Mesh for smaller non-aggressive dogs. For large, aggressive dogs we recommend Chain Mesh

Code	Height (cm) / Aperture / Wire Diameter (mm)
<b>DOG MESH - HEAVY DUTY</b>	
22004	120 / graduated / 2.50 x 30m
22008	180 / graduated / 2.50 x 30m
<b>DOG MESH - MEDIUM DUTY</b>	
22010	120 / graduated / 2.00 x 10m
22001	120 / graduated / 2.00 x 30m
22002	180 / graduated / 2.00 x 30m
<b>GUARD MESH</b>	
21417	120 / two graduations / 2.50 / 2.18 x 10m
<b>PUPPY EDGING</b>	
21020	70 / two graduations / 2.00 / 1.60 x 15m





## HandyPak Mesh

Convenient pack sizes for DIY users.

Code	Height (cm) / Aperture (mm) / Wire Diameter (mm)
<b>AVIARIES &amp; CAGES</b>	
20014	Mouse & Snake Mesh - 90 / 6.5 x 6.5 / 0.63 x 5m
20018	Mouse & Snake Mesh - 90 / 6.5 x 6.5 / 0.63 x 10m
20950	Aviary Mesh Small Bird - 90 / 12 x 12 / 0.70 x 5m
20951	Aviary Mesh Small Bird - 90 / 12 x 12 / 0.70 x 10m
20960	Aviary Mesh Small Bird - 120 / 12 x 12 / 0.70 x 5m
20961	Aviary Mesh Small Bird - 120 / 12 x 12 / 0.70 x 10m
20952	Aviary Mesh Medium Bird- 90 / 25 x 12 / 1.24 x 5m
20953	Aviary Mesh Medium Bird- 90 / 25 x 12 / 1.24 x 10m
20965	Aviary Mesh Medium Bird- 120 / 12 x 12 / 1.24 x 10m
20954	Cage Mesh - 90 / 25 x 25 / 1.24 x 5m
20955	Cage Mesh - 90 / 25 x 25 / 1.24 x 10m

HandyPak Mesh and Netting is also available in longer bulk rolls (see preceding pages for details)

## GARDEN & TRELLIS

21445	Tomato/Trellis Mesh - 120 / 150 x 150 / 2.50 x 10m
20970	Garden Mesh 90 / 12 x 12 / 1.00 - PE Green x 5m
20971	Garden Mesh 90 / 12 x 12 / 1.00 - PE Green x 10m
20974	Yard Mesh 90 / 25 x 25 / 1.30 - PE Green x 5m
20975	Yard Mesh 90 / 25 x 25 / 1.30 - PE Green x 10m
20956	Flower Mesh - 90 / 50 x 50 / 1.24 - Galv x 5m
20957	Flower Mesh - 90 / 50 x 50 / 1.24 - Galv x 10m
20976	Flower Mesh 90 / 50 x 50 / 1.30 - PE Green x 5m
20977	Flower Mesh 90 / 50 x 50 / 1.30 - PE Green x 10m
20958	Trellis Mesh - 120 / 100 x 100 / 1.24 - Galv x 5m
20959	Trellis Mesh - 120 / 100 x 100 / 1.24 - Galv x 10m
20978	Trellis Mesh 120 / 100 x 100 / 1.60 - PE Green x 5m
20979	Trellis Mesh 120 / 100 x 100 / 1.60 - PE Green x 10m

Easily identify mesh and netting products with five colour coded categories.

- Pens & Enclosures
- Aviaries & Cages
- Garden & Trellis
- Dog & Boundary
- Project & Trade

## HandyPak Netting

Convenient pack sizes for DIY users.

Code	Height (cm) / Aperture (cm) / Diameter (mm)
<b>PENS &amp; ENCLOSURES</b>	
60000	Bird Netting - 90 / 1.3 / 0.56 x 2m
60001	Bird Netting - 90 / 1.3 / 0.56 x 5m
60002	Bird Netting - 90 / 1.3 / 0.56 x 10m
60003	Animal Netting - 90 / 3 / 0.90 x 5m
60004	Animal Netting - 90 / 3 / 0.90 x 10m
60005	Chicken Netting - 90 / 5 / 1.00 x 5m
60006	Chicken Netting - 90 / 5 / 1.00 x 10m
60008	Chicken Netting - 120 / 5 / 1.00 x 10m
60160	Chicken Netting - 90 / 5 / 1.40 x 10m - Heavy Duty

## Flexible Pet Pen

Will make an enclosure up to 2.2m diameter and 600mm high. Easy to construct and self-supporting. Pack includes, 7m length of netting (60x4x1.4), 15 galvanised pins, instructions included.

Code	Height (cm) / Aperture (cm) / Diameter (mm)
<b>PENS &amp; ENCLOSURES</b>	
60150	Flexible Pet Pen 60 / 4 / 1.40 incl ground pegs x 7m

## Heavy Netting - Rabbit

Heavily galvanised, complies with AS4534 for all rural and heavy duty application. Reverse twist construction with double selvedge wires for added strength.

Code	Height (cm)	Aperture (cm)	Wire Diameter (mm)
<b>HEAVY NETTING</b>			
10451	30	4	1.4 x 50m
10452	60	4	1.4 x 50m
10454	90	4	1.4 x 50m
10474	90	4	1.4 x 100m
10455	105	4	1.4 x 50m
10475	105	4	1.4 x 100m
10456	120	4	1.4 x 50m
10458	180	4	1.4 x 50m
<b>HEAVY NETTING - AUSTRALIAN MADE</b>			
10400	30	4	1.4 - Aust x 100m
10409	90	4	1.4 - Aust x 50m
10405	90	4	1.4 - Aust x 100m
10415	105	4	1.4 - Aust x 50m
10414	105	4	1.4 - Aust x 100m

Often referred to as rabbit netting, netting with a 4cm aperture and 1.4mm wire diameter is available in varying heights for common uses such as:

- 30cm - reconditioning of existing fences, garden edging
- 60cm - reconditioning of existing fences, garden edging
- 90cm and 105cm - rabbit proofing, boundary fencing and tree guards
- 180cm - feral fencing, poultry and animal enclosures, tennis courts




## Heavy Netting - Boundary

Heavily galvanised, complies with AS4534 for all rural and heavy duty application. Reverse twist construction with double selvedge wires for added strength.

Code	Height (cm)	Aperture (cm)	Wire Diameter (mm)
<b>HEAVY NETTING</b>			
10653	90	5	1.60 x 50m
10655	120	5	1.60 x 50m
10657	180	5	1.60 x 50m

Often referred to as boundary netting, netting with a 5cm aperture and 1.6mm wire diameter is available in varying heights for common uses such as:

- 90cm and 120cm - farm fencing, dogs, and tree guards
- 120cm and 180cm - feral fencing, animal enclosures, tennis courts and fishing netting







12513



12416



12509



12503



12420



12422



12410



12334

12331



12505

## Staples

Featuring the STAPLEfast Pneumatic Tool, plain and barbed staples.

Code	Description
<b>STAPLEFAST - PNEUMATIC</b>	
12420	STAPLEfast Pneumatic Tool
12422	STAPLEfast Staples 33 x 3.15mm Pkt 2700
12423	STAPLEfast Staples 40 x 3.15mm Pkt 2100
<b>STAPLES - GALVANISED, 500g clamshell</b>	
12503	Barbed 50 x 4.00mm - approx qty 50
12509	Barbed 40 x 4.00mm - approx qty 50
12513	Barbed 30 x 4.00mm - approx qty 65
12416	Plain 25 x 3.15mm - approx qty 132
<b>STAPLES - GALVANISED, 3kg</b>	
12502	Barbed 50 x 4.00mm - approx qty 300
12506	Barbed 40 x 4.00mm - approx qty 315
12512	Barbed 30 x 4.00mm - approx qty 390
12412	Plain 25 x 3.15mm - approx qty 795
<b>STAPLES - GALVANISED, 15kg</b>	
12517	Barbed 50 x 4.00mm - approx qty 1500

## Wool Bale Fasteners

Super sharp, galvanised. Pressed cut to ensure the finest point. Penetrates fabric first time. Designed to be used in conjunction with Australian Wool Exchange (AWEX) standards.

Code	Description
<b>WOOL BALE FASTENERS</b>	
12330	Wool Bale Fasteners - Box 100
12331	Wool Bale Fasteners - Box 300
12334	Wool Bale Fasteners - Box 700
12335	Wool Bale Fasteners - Bulk 15kg

## Ring Fasteners

Featuring the RINGfast Pneumatic Tool, the Jambro collated manual gun, and manual clips and tools.

Code	Description
<b>RING FASTENING - PNEUMATIC</b>	
12308	Pneumatic Tool - Paslode Ringfast A515
12309	Fasteners - Paslode Ringfast Pk 1000
<b>RING FASTENING - COLLATED MANUAL</b>	
12300	Ring Fastener Gun - Jambro
12301	Fasteners - Standard Ring Pk 1000
12306	Fasteners - RP22 Ring Galv Pk 1000
12307	Fasteners - RP22 Ring S/Steel Pk 1000
12299	Spring Only - To suit Jambro
<b>RING FASTENING - CLIPS &amp; TOOLS</b>	
12408	Aviary Flat Clips Pk 200 Stainless Steel
12407	Aviary Flat Clip Plier
12400	Netting Clips 16 x 2.00mm Pk 500 Galv
12399	Netting Clips 16 x 2.24mm Pk 500 Galv
12401	Netting Clips 19 x 2.24mm Pk 500 Galv
12405	Netting Clip Pliers-Red Handle (suits 16mm)
12406	Netting Clip Pliers-Green Handle (suits 19mm)



12308



12309



12301



12300



12407



12408



12400



12401



12399



12405



See our Ring Fastening Selection Guide on the web by scanning the QR code.



## Joiners and Strainers

Proven design, hard wearing chain strainers and hinged joint strainers. A wide range of reliable wire strainers and joiners.

Code	Description
<b>STRAINING TOOLS</b>	
12101	Chain Strainer – Display Pack
12102	Chain Strainer - Contractor Box Pack
12105	Hinged Joint Strainer - Whites 1190mm
<b>PERMANENT WIRE STRAINERS</b>	
12103	Handyman Permanent Wire Strainer
12106	"Cliplock" Permanent Wire Strainer
12099	Permanent Wire Strainer
12500	Plastic Insulated Permanent Wire Strainer
12501	Porcelain Insulated Permanent Wire Strainer
12090	Permanent Wire Strainer (Bucket 40)
12091	Plastic Insulated Perm Wire Strainer (Bucket 30)
<b>WIRE JOINERS</b>	
12113	Wire Joiner – Packet of 2
12108	Gripple Wirejoiner – Large Pk 10
12107	Gripple Wirejoiner – Medium Pk 20
12112	Gripple Wirejoiner – Medium Pk 500
12114	Gripple Starter Pack (Tool + 50 Med Gripples)
<b>STAY PINS</b>	
14340	Stay Pins 10mm x 300mm - Box 50



12101



12102



12090



12103



12106



12099



12500




12501

## Fencing Tools

Our premium range of tools features our upgraded wire spinner, post driver and post lifter.

Code	Description
<b>FENCING PLIERS</b>	
12002	Fencing Pliers – Parrot Beak 250mm
12003	Fencing Pliers – Bullnose 250mm
12004	Fencing Pliers – Bullnose 300mm
<b>FENCER'S TOOL</b>	
12005	Fencer's Tool
<b>POST DRIVERS</b>	
12201	Steel Post Driver 800mm
12203	Steel Post Driver - Contractor 800mm
<b>POST LIFTER</b>	
12200	Steel Post Lifter
<b>WIRE SPINNER</b>	
12110	Wire Spinner



12002



12003



12004



12200



12110

## Fencing Accessories

Code	Description
<b>FENCE POST CLIPS</b>	
12319	Fence Post Clips Box 250
<b>POST &amp; CONSTRUCTION CAPS</b>	
12322	Post Cap – Yellow 60mm Pk 40
12325	Construction Safety Caps - Pkt 100
12326	Construction Safety Caps (Ind Barcode)-Ctn 50



12319



12322



12325



12201



20199



20865



20815



Woven Mesh



Baling Wire



## Industrial

A range of specially tailored product solutions designed to meet the exacting needs of commercial enterprise. Contact us for more information on choosing and specifying the right Whites Wires Industrial product for your application.

### Roof Mesh

Whites Wires Roof Mesh is fully tested and complies with AS/NZS: 4389/1996.

Code	Height (cm) / Aperture (mm) / Wire Diameter (mm)
<b>ROOF MESH - COMPLIES WITH AS/NZS 4389/1996</b>	
20199	180 / 300 x 150 / 2.00 x 50m

### Insulation Mesh

A lightweight mesh used for holding insulation in place.

Code	Height (cm) / Aperture (mm) / Wire Diameter (mm)
<b>INSULATION MESH</b>	
20865	180 / 115 x 100 / 1.24 x 50m

### Framing Mesh

Specially manufactured to far improved tolerances compared to existing aviary mesh product. Produced straighter and flatter, providing a 'truer' finish. Hot dipped galvanised after welding for maximum protection. Field tested with aviary manufacturers seeking a professional finish.

Code	Height (cm) / Aperture (mm) / Wire Diameter (mm)
<b>FRAMING MESH</b>	
20815	120 / 12.7 x 12.7 / 1.20 x 30m

### Baling Wire

Annealed and high tensile galvanised baling wires developed to suit major brands of baling machines. Tested regularly for elongation and tensile strength to minimise wire breakage when tying bales under load. Lightly oiled with a smooth finish to ensure they run cleanly through dies and to reduce machine wear.

### Woven Galvanised Mesh

Strong woven mesh for industrial and manufacturing use.

### Tie Wires for industry

- Soft annealed wire
- Galvanised wire with a controlled tensile strength

Range available in handy coils, 50kg, and bulk coils for use in industrial and reinforcing industries.



# More great products from **Whites Group**



## WHITES OUTDOOR

**Whites Outdoor** provides lifestyle solutions for around the home and garden. The range includes our Australian Design Registered Retain-iT and StayMesh ranges, tarpaulins, pegs, pins, plant support, garden and landscaping products.



**Retain-iT®**

Transforms sleepers into walls. Our Australian Design Registered Retain-iT range makes easy work of building retaining walls and garden beds. Available to suit 50mm and 75mm timber sleepers for walls up to 600mm high.



**StayMesh ULTRA**

Now it takes just seconds to protect your gutters. Ultra fast and ultra easy - no hardware or tools required. Australian designed and patented.



**Fire Guard**

Galvanised steel gutter protection, tested and certified by the CSIRO for fire zone areas.



**Tarps**

A complete range of tarps and tent pegs for home, farm and camping.



**Garden & Plants**

From the decorative wire edging that protects your plants to the plant ties, stakes and frames to grow them, Whites Outdoor has your garden covered.

**Can't wait to get outdoors**



## WHITES ON-SITE

**Whites On-Site** reflects the needs of the construction industry and serious DIYer. The range includes reinforcing meshes, concreting accessories, a wide assortment of safety tapes and barriers, and sediment control products.



**Safety Tapes**

A range of safety and caution tapes available in printed, adhesive and reflective types for use in work-sites, factories, rural properties and around the home.



**Reo & Construction**

Reinforcing mesh that fits easily into the back of ute or wagon, bar chairs and formwork products for trade and serious DIYers.



**Bollards & Barriers**

Traffic and pedestrian management products supporting safe work practices.



**Sediment Control**

Silt mesh in rolls and bags, sand bags and site screens.

**Get it right, On-Site**

**[www.whitesgroup.com.au](http://www.whitesgroup.com.au)**



**Whites Group Pty Ltd**  
ABN 25 001 845 478

[www.whitesgroup.com.au](http://www.whitesgroup.com.au)

**SYDNEY**

4 Decker Place  
Huntingwood NSW 2148

**MELBOURNE**

64 Colemans Road  
Dandenong South VIC 3175

**BRISBANE**

229 Orchards Road  
Richlands QLD 4077

**TOWNSVILLE**

13 Crocodile Crescent  
Bohle QLD 4818

**PERTH**

4/18 Tarlton Crescent  
Newburn WA 6104

**ADELAIDE**

18 Bradford Way  
Cavan SA 5094

Wholesale Enquiries: 1300 559 732 Fax: 1300 559 762  
Specifications referred to in this publication are subject  
to change, variation and/or improvement without notice.

For the most up-to-date details on all our products, visit our website at  
**[www.whitesgroup.com.au](http://www.whitesgroup.com.au)**