


Pryda Timber Connectors

Catalogue





Pryda Catalogue

Timber Connectors 1 November 2013

| HOW TO ORDER | 2 |
|----------------------|---------|
| TABLE OF CONTENTS | 3 |
| TERMS AND CONDITIONS | 4 - 5 |
| PRICE LIST | 7 - 28 |
| REFERENCE SECTION | 29 - 31 |

CUSTOMER CARE

1300 657 052

Pryda Australia

A Division of ITW Australia Pty Ltd. ABN 63 004 235 063

<u>Victoria – Head Office</u>

2-10 Nina Link Dandenong VIC 3175

Postal Address: Locked Bag 1407 Dandenong South VIC 3164

Telephone: (03) 9554 7001 Facsimile: (03) 9554 7000 Sales Facsimile: (03) 9554 7070 or 1300 657 054 Email: sales@pryda.com.au Web: www.pryda.com.au

New South Wales

47-55 Williamson Road, Ingleburn, NSW 2565

Telephone: (02) 9605 0000 Facsimile: (02) 9605 0011

Email: sales@pryda.com.au

Queensland

16-26 Wentworth Road, Banyo QLD 4014

Telephone: (07) 3902 3434 Facsimile: (07) 3902 3444

Email: sales@pryda.com.au

Tasmania / South Australia

All enquiries to Victoria – Head Office.

Telephone: 1300 657 052 Sales Facsimile: 1300 657 054

Email: sales@pryda.com.au

Western Australia / Northern Territory

All enquiries to Victoria – Head Office.

Telephone: 1300 657 052 Sales Facsimile: 1300 657 054

Email: sales@pryda.com.au



How to Order

By Phone

Our Customer Care staff can efficiently take your order over the phone by calling our national number: 1300 657 052 or your local state office.

By Facsimile

To order by facsimile, complete your Purchase Order(s) by hand or using the Pryda Price List software and fax it to our national number: 1300 657 054 or your local state office.

By Mail

For mail orders, send them to your nearest branch office. Address details appear on page 1.

By Email

Orders can be sent electronically via Pryda's Price List Software. Orders can also be emailed to sales@pryda.com.au or your local state office.

Via your Representative

If you would like Pryda to help you place orders, our Sales Representative can call at your business on a cycle suitable to your needs. Ring your nearest branch to arrange.

Delivery

Our customer service level is for delivery no later than 2 business days from order, direct to metro customer premises or country customer transport depot. Whenever possible, orders will be delivered the next business day. Please advise our Customer Care if you have special delivery requirements.

Literature

Pryda Product Guides are available on request and can be downloaded from the Product Information > Design Guides page on the website:

www.pryda.com.au

Merchandising Aids

Various merchandising systems are available on loan to stockists of Pryda products. Pryda®, Knuckle® and Claw Nail® are registered trademarks of Pryda Australia.

GST

Prices quoted in this directory do not include Goods and Services Tax (GST) but are subject to this tax.

E & OE

While every effort is made regarding the accuracy of this Price List, Pryda is not responsible for any errors or omissions.

Pryda Price List Software

Customers can obtain a free copy of the Pryda Price List software for easy sales ordering and for keeping records of sales. Pryda representatives can assist with installation and use of this software and can upload company's sales discounts into the database so that accurate costing is obtained. The program also includes the latest Pryda Product Guides, allowing users to keep up to date with changes.



Contents

| Angle Brace | 7 |
|--------------------------------------|-------|
| AnkaScrews | 24 |
| Anti Crush Plate | 20 |
| Bin Straps | 19 |
| Barge Angles | 22 |
| Batten Straps | 8 |
| Beam Hangers | 15 |
| Board Fix | 21 |
| Bolts | 27 |
| Bottom Plate Anchor | 8 |
| Collated Nails | 25 |
| Collated Staples | 26 |
| Connector Plate | 19 |
| Corner Plate | 19 |
| Corrugated Fasteners | 26 |
| Cyclone Straps | 8 |
| Cyclonic Grips | 8 |
| Dynabolts | 24 |
| Fascia Support | 20 |
| Foil Fix | 21 |
| Framing Brackets | 12-13 |
| Framing Brackets – Stainless Steel | 28 |
| High Capacity Tie Down Kits | 9 |
| Hip Support Bracket | 16 |
| Hoop Iron & Strapping | 22 |
| I-Joist Hanger Cross Reference Guide | 31 |
| I-Joist Hangers | 14-15 |
| Joist Boots | 16 |
| Joist Strap | 9 |
| Knuckle Nailplates | 17 |
| Log Support | 20 |
| Maxi Brace & Mini Brace | 7 |
| Merchant Pack Index | 30 |
| Mininail | 18 |
| Mitre Plates | 9 |

| Multigrips & Minigrips | 10 |
|--------------------------------------|----|
| Multigrips- Stainless Steel | 28 |
| Nail-on Plates | 18 |
| Nails - Timber Connector | 24 |
| Pergola Angles | 20 |
| Pole Cats | 19 |
| Post Anchors | 23 |
| Pryda Fix | 21 |
| Pryda Hitch | 10 |
| Pryda Hold-Down Bracket | 9 |
| Pryda Shear Connector | 7 |
| Pryda Truss Spacer | 20 |
| Purlin Cleats | 10 |
| Self Drilling Screws | 27 |
| Set Screws & Washers | 27 |
| Shade Fix | 21 |
| Shunt Plates | 19 |
| Speedbrace | 7 |
| Stainless Steel Products | 28 |
| Strap Brace & Tensioners | 7 |
| Strap Brace & Tensioners - Stainless | 28 |
| Strap Nails | 18 |
| Stud Ties | 10 |
| Tools | 26 |
| Triple Grips | 11 |
| Truss & Joist Boots | 16 |
| Truss Boots - Bolt Kits | 27 |
| Truss Boots - Heavy Duty | 16 |
| Truss Boots - Multifix | 16 |
| Truss Boots - Screws | 27 |
| Truss Tie | 11 |
| Unitie | 11 |
| Universal Heavy Duty Angle | 21 |
| Washers | 27 |
| | |

Contents by Category

| Bracing | 7 |
|------------------------|-------|
| Brackets & Fixes | 20-21 |
| Builders Hardware | 22 |
| Connectors & Tie Downs | 8-11 |
| Fasteners | 24-27 |

| Hangers & Truss Boots | 12-16 |
|-----------------------|-------|
| Nailplates | 17-19 |
| Post Anchors | 23 |
| Reference Section | 29-31 |
| Stainless Steel | 28 |



Terms & Conditions

Terms and Conditions of Sale & Supply
The Terms and Conditions of Sale & Supply set out in this document
(Terms and Conditions) represent the only terms and conditions
authorised and accepted by Pryda, and shall apply to form part of any
contract arising from any order placed by the Customer and accepted by
Pryda when Pryda commences fulfilling that order.

Pefinitions

Definitions

Pryda' means Pryda Australia – a Division of ITW Australia Pty Ltd 63 004 235 063).

'Customer' means any person to whom Pryda has agreed to supply Goods. 'Goods' means the goods, including Services, which Pryda has agreed to

Supply to the Customer.

'Services' means any services requested by the Customer, including

technical advice and use of software.

FIS' means free into store deliveries to Sites within the Metropolitan area or Metropolitan nominated carrier to areas outside Metropolitan. 'Site' means owned/leased property of the Customer. For Customers with

multiple Sites, Sites must be greater than 1 kilometre apart.

Offer and Acceptance

Offer and Acceptance
Any quotation made by Pryda is not an offer to sell or to provide Goods and
no order given in pursuance of any quotation shall bind Pryda until accepted
by it by commencing to fulfil that order. All orders are subject to acceptance
by Pryda within 30 days of receipt by it of the Customer's order and these
Terms and Conditions shall be deemed to be incorporated in any agreement between Pryda and the Customer. Any terms and conditions contained in any order, offer acceptance or other document of the Customer and all representations, statements, terms, conditions and warranties (whether implied by statute or otherwise) not embodied herein are expressly excluded to the fullest extent permitted by law. The Customer's acceptance of Goods or Services ordered in a purchase order shall constitute its acceptance of these Terms and Conditions.

Unless otherwise expressly agreed by Pryda in writing beforehand all Goods will be charged for at, and the Customer will pay, Pryda's prices ruling for such Goods at the date or dates of order. If a raw material, component, or service provider raises its prices, or imposes a surcharge on Pryda, or any tax is imposed or increased in connection with the supply of any Goods or Services by Pryda (including any carbon or emissions related tax), Pryda reserves the right to increase prices and the Customer agrees to accept such price increase.

The Customer shall make payment to Pryda within thirty (30) days after the

The Customer shall make payment to Pryda within thirty (30) days after the end of the month in which the Goods are delivered, unless expressly agreed otherwise. In addition to and without limiting Pryda's other remedies for late payment, Pryda is entitled to charge and the Customer is liable to pay interest on any payment that is overdue calculated at a rate of 15% per annum from the date payment is due up to and including the date of payment in full of the due amount (including any interest incurred).

Prices are subject to change without notice.

A \$50 surcharge will apply to orders under \$250 at the discretion of Pryda. Surcharge or order value can be changed without notice.

Pryda reserves the right at its sole discretion to alter at any time its payment terms with the Customer.

terms with the Customer. Pryda reserves the right to offset any amounts receivable from the Customer against any amounts payable to that Customer or any company affiliated with the Customer or any Related Body Corporate (as that term is defined in the Corporations Act 2001) of the Customer. This right exists irrespective of the date the liability has been created or debt incurred with Pryda.

- Unless otherwise agreed in writing, any variation in quantities shipped over or under the quantities ordered (not to exceed 10%) shall constitute compliance with the Customer's order and the stated
- price per item will continue to apply.

 Pryda will make all reasonable efforts to deliver the Goods to the Customer on the agreed date(s), but shall be under no obligation or liability to the Customer for any delays in or failing to comply with delivery dates if such delay or non-compliance is due to causes or events referred to in Clause O or where caused or contributed to by any act or omission by or on behalf of the Customer.
 Delivery shall be effected upon:
- - physical delivery of the Goods to the address requested by (i)
 - the Customer; or pick up by Customer; or
 - (iii) physical delivery to the Customer's nominated carrier.

 Notation by Pryda's carrier on the delivery docket shall be conclusive

evidence of delivery. The Customer shall be responsible for any loss or damage occurring during unloading of the Goods at the Customer's

- If the Customer refuses to accept delivery of the Goods then the risk in the Goods shall, unless otherwise determined by Pryda, pass to the Customer from the time of such refusal. In such an event, Pryda shall be entitled to payment for the Goods as if they were delivered and in addition to any of its rights and remedies (including its right to sell the Goods), Pryda may arrange to store the Goods at the Customer's
- Pryda shall not be liable for any losses however caused arising directly or indirectly or consequentially from Pryda's performance or non-performance of any order. (e)
- Subject to law, Pryda's liability for faulty workmanship or defective goods is limited to the price of the relevant Goods. (f)
- (g)
- Deliveries are subject to availability of stock and Pryda will not be liable for any loss due to product unavailability. Pryda will provide the Customer two (2) FIS deliveries per Site per month. Additional deliveries within the month will be charged at \$50 per delivery

erty and Risk

erty and Risk
Legal and equitable title in all Goods supplied by Pryda to the
Customer shall remain vested in Pryda until Pryda has received
payment for all monies outstanding due to Pryda for Goods supplied
although the Customer shall have the right to sell such Goods in the
ordinary course of trade provided that the Customer shall account to
Pryda for all payments including payments by third parties in
accordance with the Customer's fiduciary relationship.

- Goods supplied by Pryda to the Customer in which title remains vested in Pryda shall be held by the Customer as fiduciary bailee of Pryda and shall be stored so that the same are identifiable as Pryda's property and are not commingled with the other property of the Customer or a third party.
- Unless otherwise agreed in writing signed by Pryda, all material, Unless otherwise agreed in writing signed by Pryda, all material, equipment, facilities, and special tooling (which term includes but is not limited to tools, jigs, dies, fixtures, moulds, patterns, special taps, special gauges, special test equipment, and manufacturing aids and replacements thereof) used in the manufacture of Goods shall remain the property of Pryda. Any material, tooling, or equipment furnished to Pryda by the Customer shall be and remain the personal property of the Customer with the title to and right of possession remaining in the Customer. The Customer will separately store such property from any other property of Pryda or third parties and in a way that such property is clearly identifiable as property of Pryda. Pryda has the property is clearly identifiable as property of Pryda. Pryda has the right to access any premises of the Customer from time to time to inspect or remove such property. The Customer shall take all risk in, and be responsible for any loss of or damage to, such property.
- Pryda shall have the right to repossess at any time Goods in which title remains vested in Pryda, and to enter the premises of the Customer for such purpose without liability and without prejudice to the pursuit of any other legal remedy available to Pryda.
 The risk and liability for loss, damage or destruction, as well as the
- results of any use or misuse by third parties who may acquire or use the Goods shall pass to the Customer on delivery to or collection by the Customer of the Goods, as referred to in Clause F(d).

Security Interest

In consideration for Pryda supplying Goods to the Customer under these Terms and Conditions, the Customer:

- agrees to treat the security interest created under these Terms and agrees to treat the security interest created under these relims and Conditions as a continuing and subsisting security interest in the relevant Goods with priority over any registered or unregistered general (or other) security and any unsecured creditor (even if the Goods become fixtures before paid for in full);
- grants to Pryda a purchase money security interest ("PMSI") as defined in the Personal Property Securities Act 2009 (Cth) ("PPSA") in Goods supplied;
- agrees that the PMSI granted herein will continue to apply to any (c) Goods coming into existence or proceeds of sale of Goods or Goods coming into existence;
- agrees that the PMSI has attached to all Goods now or in the future (d) supplied to the Customer by Pryda; and
- agrees, until title in Goods pass to it, to keep all Goods free and ensure all Goods are kept free of any charge, lien or security interest (as defined in the PPSA) except as created under these Terms and Conditions, and not otherwise deal with Goods in a way that will or may prejudice any rights of Pryda under these Terms and Conditions or the PPSA
- Pryda reserves the right to register a financing statement under the PPSA in respect of the Goods. Costs of registering a financing statement (or a financing change statement) will be paid by the Customer. The Customer waives its right to receive a copy of any financing statement, financing change statement or verification statement that is or may be registered, issued or received at any time.
- The Customer irrevocably grants Pryda the right to enter any premises or property (without notice) and without being in any way liable to Pryda or any other person if the Customer has cause to exercise any of its rights under the PPSA (and The Customer will indemnify Pryda against any such liability. indemnify Pryda against any such liability).
- Ustomer hereby waives its rights under sections 95, 96, 117, 118, 120, 121(4), 123, 125, 126, 128, 129, 130, 132, 134, 135, 142 and 143 of the PPSA.

Description and Specification

- Whilst every effort is made to ensure their accuracy, the descriptions, illustrations and materials contained in any catalogues, price lists brochures, leaflets or other descriptive matter provided by or on behalf of Pryda represents the general nature of the item described therein and shall not form any part of any order or agreement or amount to any representation or warranty.

 Pryda does not warrant or guarantee and it shall not be a term of any
- agreement between Pryda and the Customer that any Goods manufactured, constructed or supplied by Pryda which are based in whole or in part upon any designs or drawings or specifications supplied to Pryda by or on behalf of the Customer will achieve any standard or performance or any capacity whatsoever

The Customer is solely responsible for determining whether any product is fit for a particular purpose and suitable for the Customer's method of application, accordingly, and due to the nature and manner of use of Goods. Pryda is not responsible for the results or consequence of use, misuse or application of its Goods by anyone.

Intellectual Property

All drawings, know-how, designs, specifications, inventions, devices, developments, processes, copyrights and other information or industrial or intellectual property disclosed or otherwise provided to the Customer by Pryda or otherwise subsisting in Goods or Services and all rights therein (collectively, "Intellectual Property") will remain the property of Pryda and will be kept confidential by the Customer. The Customer shall have no claim to, nor ownership interest in, any Intellectual Property and such information, in whatever form and any copies thereof, shall be promptly returned to Pryda upon written request from Pryda. The Customer acknowledges that no license or rights of any sort are granted to the Customer hereunder in respect of any Intellectual Property, other than the limited right to use Pryda's proprietary Goods purchased from Pryda.



- The Customer warrants that any of the Goods manufactured, constructed or supplied by Pryda which are based in whole or in part upon designs, drawings or specifications supplied to Pryda by or on behalf of the Customer shall not infringe any letters, patents or registered designs or any other intellectual property rights of any third party. The Customer shall indemnify and keep indemnified Pryda, its servants and agents against any action, loss, cost, claim, damage or liability of any nature that may be brought against or suffered by Pryda, its servants or agents for any breach of this warranty
- Except as set forth in these Terms and Conditions, Pryda agrees to defend, indemnify and hold the Customer harmless against any claims, costs, damages, liability and expenses resulting from actual patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other Intellectual Property right, domestic or foreign, that may arise from the sale of Pryda's proprietary Goods to the Customer as such pertains to the subject matter of these Terms and Conditions (provided those Goods are not modified in any way by the Customer or any other party, and that the Goods are used in the manner intended by Pryda). If a suit or claim Goods are used in the manner intended by Pryda). If a suit or claim results in any injunction or any other order that would prevent Pryda from supplying any part or Good falling under these Terms and Conditions, or if the result of such a suit or claim would, in the reasonable opinion of Pryda, otherwise cause Pryda to be unable to supply such parts or Goods, Pryda shall have the right, at its option, if it so chooses, to do one or more of the following: (i) secure an appropriate license to permit Pryda to continue supplying said parts or Coods to the Customers (ii) medicate the continue supplying said parts or Goods to the Customer; (ii) modify the appropriate part or Good so that it becomes non-infringing; (iii) replace the appropriate part or Good with a non-infringing but practically equivalent part or Good; or (iv) if Pryda cannot reasonably accomplish the actions specified in subparagraphs (i) – (iii), then in Pryda's sole discretion, Pryda may discontinue selling the part or Good without any further liability to the Customer.
- Customer. If any claim is made by a third party on the basis of which indemnification may be sought under this paragraph, the party entitled to indemnification (the "Indemnified Party") shall give written notice of such claim to the party liable for such indemnification (the "Indemnifying Party") promptly after the Indemnified Party has actual notice of such claim. The Indemnifying Party shall have the right to defend and/or settle such claim at its expense, provided that it does so diligently and in good faith. The Indemnified Party shall cooperate with such defence and/or settlement and shall have the right to with such defence and/or settlement and shall have the right to participate in (but not to control) such defence and/or settlement at its expense. No settlement shall be entered into unless the Indemnified Party shall be released from all liability for such claim.

K. Confidential Information

All information furnished or made available by Pryda to the Customer in connection with the subject matter of these Terms and Conditions or of the Customer's purchase order shall be held in confidence by the Customer. The Customer agrees not to use such information or disclose such information to others without Pryda's prior written consent. The obligations information to others without Pryda's prior written consent. The obligations in this paragraph will not apply to any information which: (a) at the time of disclosure was or thereafter becomes, generally available to the public by publication or otherwise through no breach by the Customer of any obligation herein; (b) the Customer can show by written records was in the Customer's possession prior to disclosure by Pryda; or (c) is legally made available to the Customer by or through a third party having no direct or indirect confidentiality obligation to Pryda with respect to such information.

CancellationPryda reserves the right to cancel any purchase orders or releases thereunder, or terminate any agreement relating to the purchase of of the order had the order not been cancelled, varied or suspended.

- Warranty
 Where any applicable legislation implies any term, condition or
 warranty into the relationship between Pryda and the Customer or into
 a contract of sale between Pryda and the Customer in relation to the
 sale or supply of Goods, or otherwise gives the Customer a particular
 remedy against Pryda, and the legislation or any legislation avoids or
 prohibits provisions excluding or modifying the application of, or
 exercise of, or liability under such term, condition, warranty or remedy, then that term, condition, warranty or remedy shall be deemed to be included in these Terms and Conditions, or, as the case may be, apply to the relationship. However, Pryda's liability for any breach of such term, condition or warranty or under such remedy shall be limited, at Pryda's option, in any one or more of the ways permitted by the legislation including, where so permitted:
 - If the breach relates to any Goods (other than Services) to:
 (a) the replacement of those Goods or the supply of
 - equivalent Goods:

 - the repair of those Goods; the payment of the cost of replacing those Goods or (c) acquiring equivalent Goods; or the payment of the cost of having those Goods repaired;
 - (d)
 - (ii) if the breach relates to any Services to:

 - the supplying of those Services again; or the payment of the cost of having those Services supplied
- Except as expressly provided in) Paragraph M(a) above, all terms, conditions, warranties, undertakings, inducements and representations, whether express or implied, statutory or otherwise. representations, whether express or implied, statutory or otherwise, relating in any way to any Goods supplied by Pryda are excluded. Without limiting any other provision of these Terms and Conditions, Pryda will not be under any other liability in respect of any loss or damage (including consequential loss or damage) however caused (whether by negligence of Pryda or any person or otherwise) which may be suffered or incurred or which may arise directly or indirectly in respect of any Goods supplied or not supplied by Pryda.

Claims and Returns

Examination of the Goods shall be made by or on behalf of the Customer, and unless within seven days of delivery of the Goods, the Customer gives written notice that the Goods are not in accordance with the Customer's order(s), the Goods shall be deemed to be in all respect in accordance with the order(s) and the contract, and the Customer shall be bound to accept and pay for the same accordingly

If the Goods are made to suit specifications provided by the Customer, an error in the specifications will not entitle the Customer to reject the Goods and the Customer shall be liable for the full price of the Goods and any costs involved in altering the Goods.

- Claims by the Customer for credit, other than claims in respect of return of Goods, will not be valid unless made in writing prior to the end of the payment period referred to in Clause D. Claims by the Customer for credit in respect of Goods which are defective or have not been supplied in accordance with these Terms and Conditions must first have prior written approval of Pryda's authorised representative who must be afforded a reasonable opportunity to inspect the Goods and will not be valid unless made within seven days of delivery of the Goods, and the Goods the subject of such claim(s), subsequently being returned to Pryda with a signed Return of Goods Authority on carrier(s) and to warehouse(s) nominated by Pryda.
- Pryda is under no obligation to accept claims for Goods returned
- which have been used, damaged or altered in any way. All Goods must be returned in their original packaging.

 Goods returned will be subject to a 25% rehandling charge.

 Goods are to be returned at the Customer's expense or costs of collection will be deducted from the amount to be credited.
- Except as expressly provided herein, Pryda will neither accept return of Goods, nor be responsible for its destruction.

- Excusable Delays
 (a) Pryda shall not be liable for any failure to comply with these Terms and Conditions when such failure is caused by or arises out of any of the following:
 - (i) fire, storm, tempest, earthquake, inevitable accident or other act
 - any act of public enemy;
 - any act of the government of the Commonwealth of Australia or any State or Territory thereof or any local government or council or any instrumentality or authority, which has the necessary power to or otherwise does prevent or delay the due performance of any or all of the requirements and/or terms and conditions of any order placed by the Customer;
 - any act of any person engaged in subversive activity or (iv) sabotage;
 - epidemics or quarantine restrictions;
 - (vi) strikes, slow-downs, lockouts or labour stoppages or disputes of
 - any kind or freight embargoes; any shortfall, delay or failure to supply by any of Pryda's (vii) suppliers: or
 - any other cause or event whatsoever which is beyond the
- control and without the fault or negligence of Pryda.

 In the event of a failure by Pryda to perform or carry out any or all of the Terms and Conditions hereof arising from any of the causes or events set forth in sub-paragraph (a) of this paragraph the Customer shall be entitled to obtain the Goods contracted for supply elsewhere for the duration of such failures and to reduce pro rata, and without any obligation to Pryda, the quantity or amounts of the Goods contracted for supply with the Customer.

- Without prejudice to any of its other rights, Pryda may at its option (and without liability or notice) require satisfactory security or payment in cash before delivery notwithstanding the terms of payment specified herein or agreed or may terminate an order or suspend further deliveries:
 - if the Customer shall commit any breach of this or any other contract with Pryda including failure to make any payments on the due dates:
 - if being an individual, the Customer shall die or have a receiver appointed over his assets or becomes unable to pay his debts as and when they fall due or shall cease or threaten to cease to conduct business:
 - if being a company, the Customer is or becomes an externally administered body corporate (within the meaning of the Corporations Act 2001) or a controller (within the meaning of the Corporations Act 2001) enters into possession or takes control of all or any of the Customer's assets or undertaking or if the Customer is or becomes insolvent (within the meaning of the Corporations Act 2001) or ceases or threatens to cease carrying on business;
 - if the Customer compounds with or negotiates for any composition with its creditors or permits any judgment against it to remain unsatisfied for seven days:
 - (v) if any distress execution or other legal process shall be levied upon the Customer; or if in Pryda's sole judgment, the financial position of the
 - Customer is or becomes unsatisfactory or the Customer becomes unable to pay its debts as and when they fall due. Upon termination or suspension of deliveries Pryda may recover and
- (b) resell the Goods and the Customer hereby grants to Pryda a licence for access to the Customer's premises for the purposes of such recovery and to examine the Goods

The Customer must in addition to the price, pay the amount of all fees, duties, licences, tariffs, GST (as defined in the A New Tax System (Goods and Services Tax) Act 1999) and all sales, use, privilege, occupation, excise, value added, consumption or similar taxes, federal, state, local or foreign, which Pryda is required to pay or collect in connection with the Goods or Services sold to the Customer to the intent that the prices for the Goods are paid to Pryda as net amounts clear of such tax. Failure by Pryda to collect any such fees or taxes shall not affect the Customer's obligations hereunder and the Customer shall fully defend, indemnify and hold harmless Pryda with respect to such tax obligations.

Limitation of Actions

To the extent permitted by law, any cause of action for any alleged breach of these terms and conditions by Pryda shall be barred unless commenced by the Customer within one (1) year from the accrual of such cause of action.

S. Variation

Any variation to any order(s) placed by the Customer for Goods will only be effective if signed in writing by an authorised representative of Pryda. Pryda Effective 1 November, 2013.



reserves the right to vary these Terms and Conditions at any time, and these Terms and Conditions (as varied) will then apply to all order(s).

Failure by Pryda to insist upon strict performance of any term or condition hereof shall not be deemed a waiver thereof or of any rights which Pryda may have and shall not, and nor shall any express waiver, be deemed to be a waiver of any subsequent breach of any term or condition.

Severability

of any provision herein shall be held to be unlawful or unenforceable, the unlawful or unenforceable provision may be severed from these Terms and Conditions and the remaining provisions shall herein remain in full force and

٧.

Governing Law All contracts shall be governed by and construed in accordance with the laws in force in Victoria, Australia.

Pryda's Goods and Services. Subject to Section 75A of the Trade Practices Act 1974 and without limiting the entitlement of a consumer to rescind a contract as provided in that Section, any order may only be cancelled, varied or suspended with the consent of Pryda and in the event of such or suspended with the consent of Pryda and in the event of such cancellation, variation or suspension, the Customer undertakes to reimburse and indemnify Pryda for any costs, expenses or charges incurred by Pryda in preparation for and in the execution of an order which, without limiting the generality thereof, shall include an amount equal to 50 per centum of the net profits to Pryda of the order had the order not been cancelled, varied or suspended.


- I/We the undersigned declare that the information provided by me/us in support of this application is true and correct in every particular. I/We agree to be bound solely by your Terms and Conditions as detailed above and I/we further agree that any terms or conditions of detailed above and I/we further agree that any terms or conditions of purchase that may be incorporated in any order, acceptance of quotation or any other document delivered by me/us shall, unless those terms and conditions are expressly agreed to in writing by your duly authorised representative, have no legal effect.

 I/We agree that any legal costs incurred by you on a solicitor and own client basis in the recovery of any monies due by me/us shall be recoverable in full from me/us.
- 3.
- 4. I certify that I am authorised to sign this application on behalf of the Customer.
- I acknowledge that these Terms and Conditions are also available via the website 'Pryda.com.au' and can change without notice.



Angle Brace

| _ | | | | |
|---------------------------------------|-------------------|----------------------------|--|--|
| Product Code | Article & Size | Packed | | |
| Pryda Maxi Brace 20 x 18 x 1.2mm (AB) | | | | |
| AB36 | 3.6m lengths | Tied Bundles of 10 lengths | | |
| AB42 | 4.2m lengths | Tied Bundles of 10 lengths | | |
| AB48 | 4.8m lengths | Tied Bundles of 10 lengths | | |
| Pryda Mini Brace 18 x 16 x 1.2mm (MB) | | | | |
| MB36 | 3.6m lengths | Tied Bundles of 10 lengths | | |
| MB42 | 4.2m lengths | Tied Bundles of 10 lengths | | |
| MB48 | 4.8m lengths | Tied Bundles of 10 lengths | | |
| | | | | |




Mini Brace

Speedbrace (SDB)

| Product Code | Article & Size | Packed |
|-----------------|-------------------|----------------------------|
| | Pryda Speedbr | ace 18.5 x 18.5 x 1.0mm |
| SDB36 | 3.6m lengths | Tied Bundles of 10 lengths |
| SDB40 | 4.0m lengths | Tied Bundles of 10 lengths |
| SDB50 | 5.0m lengths | Tied Bundles of 10 lengths |
| SDB60 | 6.0m lengths | Tied Bundles of 10 lengths |
| _ () | | 0 10 11 (001 1 |






Maxi Brace

Strap Brace & Tensioners (SB)

| Product | Article | Packed | |
|---|-------------------|--------------|--|
| Code | & Size | | |
| | Pryda Strap B | race | |
| SB083/15 | 30 x 0.8mm x 15m | 1 Coil | |
| SB083/30 | 30 x 0.8 mm x 30m | 1 Coil | |
| SB083/50 | 30 x 0.8mm x 50m | 1 Coil | |
| SB103/30 | 30 x 1.0mm x 30m | 1 Coil | |
| SB103/50 | 30 x 1.0mm x 50m | 1 Coil | |
| SB123/30 | 32 x 1.2mm x 30m | 1 Coil | |
| SB083/3.5 | 30 x 0.8mm x 3.5m | 1000 lengths | |
| SB083/3.5W-500 | 30 x 0.8mm x 3.5m | 500 lengths | |
| SB083/4.0W-500 | 30 x 0.8mm x 4.0m | 500 lengths | |
| SB083/4.5 | 30 x 0.8mm x 4.5m | 1000 lengths | |
| Pryda 35x3.15mm Galvanised Pryda Timber Connector Nails | | | |



Speedbrace

Pryda Tensioners (for Stran Brace)

| | Pryda Tensioners (for Strap Brace) | |
|---------|--|--|
| SBT | 6 per pack x 5 packs – 30 in Carton (Includes Wing Nuts & "T" Bolts) | |
| SBT30N | 6 per pack x 5 packs – 30 in Carton (includes Hex-head bolts) | |
| SBT100 | 100 per pack (Includes Wing Nuts & "T" Bolts) | |
| SBT100N | 100 per pack (includes Hex-head bolts) | |
| | | |




Pryda Shear Connector (PH)

| _ | | | |
|-----------------------|------------------|--------|--|
| Product | Article | Packed | |
| Code | & Size | | |
| Pryda Shear Connector | | | |
| PSC | 300 x 30 x 1.0mm | 200 | |
| | | | |







Batten Straps (BS)


| Product | Article | Packed | |
|---|----------------------------|--------|--|
| Code | & Size | | |
| Pryda Batten Straps 1.0mm | | | |
| BS70 | 70 x 30mm (Built in Nails) | 70 | |
| BS90 | 90 x 30mm (Built in Nails) | 60 | |
| Pryda 35 x 3 15mm Galvanised Timber Connector Nails | | | |



Cyclone Straps (QH) Product Article

| i ioddci | Aitible | i ackeu |
|----------|--------------------------------|--|
| Code | & Size | |
| | Pryda Cyclone | Strap 1.0mm |
| QHS4 | 400 x 32mm | 80 |
| QHS6 | 600 x 32mm | 80 |
| QHS9 | 880 x 32mm | 25 |
| | Pryda Cyclone | Strap 1.2mm |
| QHS9/2 | 880 x 32mm | 25 |
| | Merchant Packs - Ind | ividually Bar-coded |
| MPQHS4 | 400 x 32mm | 80 |
| MPQHS6 | 600 x 32mm | 80 |
| | QHS4 QHS6 QHS9 QHS9/2 MPQHS4 | Code & Size Pryda Cyclone QHS4 400 x 32mm QHS6 600 x 32mm QHS9 880 x 32mm Pryda Cyclone QHS9/2 880 x 32mm Merchant Packs - Ind MPQHS4 400 x 32mm |

Pryda 35 x 3.15mm Galvanised Timber Connector Nails





Cyclonic Grips (HC)

| Product Code | Article & Size | Packed | |
|-----------------|-----------------------|--------|--|
| | Pryda Cyclonic | Grips | |
| PCG | 135 x 55 x 58 x 1.6mm | 50 | |
| PCG90 | 119 x 55 x 92 x 1.2mm | 50 | |



Cyclonic Grip

Cyclone Strap



High Capacity Tie Down Kits (HC)

| | · / | · / | |
|---|---------------------|---------------|--|
| Product | Article | Packed | |
| Code | & Size | | |
| | Pryda High Capacity | Tie Down Kits | |
| HCTD | 150 x 150 x 8mm | 10 | |
| 10 kits of 1 x HCTD plate & 2 x washers | | | |
| HCTD/WA | 150 x 150 x 8mm | 5 | |
| 5 kits of 1 x HCTD Plate, 2 x over washers, 1 x under washer, | | | |
| 2 x M12 x 250mm threaded rod & 4 x Nylok® nuts | | | |





| Product Code | Article & Size | Packed | |
|-----------------|-----------------------|--------|--|
| Code | Prvda Hold-Down Brack | et | |


75

MPCPAH 130 x 50 x 47 x 2.0mm

Pryda 35 x 3.15mm Galvanised Timber Connector Nails








Hold Down Bracket

Joist Strap (GMP)

| Product Code | Article & Size | Packed | |
|---|-------------------|----------|--|
| | Pryda Joi | st Strap | |
| GJS | 162mm long | 150 | |
| Pryda 35 x 3.15mm Galvanised Timber Connector Nails | | | |





Joist Strap

Mitre Plates (MG)


| Product | Article | Packed | | | |
|-------------------|---|---------|--|--|--|
| Code | & Size | | | | |
| | Pryda Mitre Pla | ates | | | |
| MT | 78 x 126mm Bent 45° | 20 | | | |
| MT15 | 78 x 126mm Bent Skew | 10L.10R | | | |
| | (left & right) | | | | |
| D = 1 = 2 = 1 = 2 | Davids 25 to 2 45-ray Calvania ad Timban Canna aton Nails | | | | |






Mitre Plate












Minigrip




Pryda Hitch



Purlin Cleat



Double Sided Stud Tie



Single Sided Stud Tie

Multigrips & Minigrips (MG)

| Product | Article | Packed |
|--------------|------------------------------|------------------|
| Code | & Size | |
| | Pryda Multigrips | s 1.0mm |
| MG | 100 x 35mm | 200 |
| MGL | 132 x 35mm Long Grip Profile | 100 |
| | Merchant Packs - Individ | lually Bar-coded |
| MPMG | Multigrip – 100 x 35mm | 100 |
| MPMGS | Minigrip – 57 x 35mm | 100 |
| Drydo 25 v 2 | 15mm Calvaniand Timber Conne | otor Noila |



Pryda 35 x 3.15mm Galvanised Timber Connector Nails

Pryda Hitch (PH)

| Product | Article | Packed | |
|------------|--------------------------------------|---------------------------------------|--|
| Code | & Size | | |
| | Pryda Hitch – Inter | nal Wall Hitch | |
| PHH | Coined 114 x 46 x 38 x 0.8mm | 200 | |
| PHL | Plain 100 x 44 x 36 x 1.2m | 100 | |
| PHS | Super Heavy Plain 130x50x47x2.0mm | 100 | |
| | Merchant Packs - Indi | vidually Bar-coded | |
| | | · · · · · · · · · · · · · · · · · · · | |
| MPPHH | Coined 114 x 46 x 38 x 0.8mm | 100 | |
| Pryda 35 x | 3.15mm Galvanised Timber Conne | ector Nails | |



Purlin Cleat (GMP)

| Product | Article | Packed |
|---------|---------|--------|
| Code | & Size | |
| | | |

| Pryda | Puriin | Cleat |
|-------|--------|-------|
| | | |

| NPPC8 | 80mm wide | 25 |
|-------|-----------|----|
| | | |



Stud Ties (ST)

| Product Code | Article & Size | Packed |
|-----------------|-------------------------------|-------------|
| | Pryda Stud Ties 1.0mm - Do | ouble Sided |
| ST3 | 300 x 25mm | 100 |
| ST4 | 400 x 25mm | 80 |
| ST4U70 | 400 x 25mm | 80 |
| | Prebent for 70mm timber | |
| ST4U90 | 400 x 25mm | 80 |
| | Prebent for 90mm timber | |
| | Pryda Stud Ties 1.0mm – Si | ngle Sided |
| STS3R | 240 x 60mm Right (dimpled) | 50 |
| STS3L | 240 x 60mm Left (dimpled) | 50 |
| STS3HR | 240 x 60mm Right (with holes) | 50 |
| STS3HL | 240 x 60mm Left (with holes) | 50 |
| | Pryda Stud Ties 1.0mm – E | zi Stud Tie |
| MPSST | 185 x 65mm | 50 |
| 0700001 0 | 0 0 N B 100 10 | |





Triple Grips (TG)

| Product Code | Article & Size | Packed |
|---|---------------------------------------|--------|
| | Pryda Triple Grips 1.0n | nm |
| TGAR | 115 x 60mm, pre-bent-Right (No Nails) | 100 |
| TGAL | 115 x 60mm. pre-bent-Left (No Nails) | 100 |
| Merchant Packs – Individually Bar-coded | | |
| MPTGAR | 115 x 60mm, pre-bent-Right (No Nails) | 50 |
| MPTGAL | 115 x 60mm. pre-bent-Left (No Nails) | 50 |
| Pryda 35 x 3.15mm Galvanised Timber Connector Nails | | |






Truss Tie (TS)

| Product Code | Article & Size | Packed |
|--|--|-----------|
| | Pryda Truss Ties 1 | .0mm |
| TT | 117 x 25mm (50 Left 50 Right per carton | 100 i) |
| Pryda 35 x 3.15 mm Galvanised Timber Connector Nails | | |






Truss Tie

Triple Grip

Unities (UT)

| Product | Article | Packed | |
|---|-----------------------------|--------|--|
| Code | & Size | | |
| | Pryda Long Leg Unitie 1.0mm | | |
| UT/400L | 400 x 32mm Left Hand | 80 | |
| UT/400R | 400 x 32mm Right Hand | 80 | |
| Merchant Packs – Individually Bar-coded | | | |
| MPUT/90L | 170 x 32mm Left Hand | 100 | |
| MPUT/90R | 170 x 32mm Right Hand | 100 | |
| Pryda 35 x 3.15mm Galvanised Timber Connector Nails | | | |








Framing Brackets

| Product Code | Product Internal Dimensions (Width x Height) | Packed | | |
|-------------------------------------|---|--------|--|--|
| Size – 90mm d | depth (FB90) | | | |
| FB3590 | 36 x 82mm | 45 | | |
| FB3890 | 39 x 81mm | 45 | | |
| FB4290 | 43 x 78mm | 45 | | |
| FB4590 | 46 x 77mm | 45 | | |
| FB5890 | 59 x 70mm | 45 | | |
| Size – 120mm | depth (FB12) | | | |
| FB35120 | 36 x 116mm | 45 | | |
| FB42120 | 43 x 112mm | 45 | | |
| FB45120 | 46 x 111mm | 45 | | |
| FB58120 | 59 x 104mm | 45 | | |
| Size – 140mm depth (FB14) | | | | |
| FB45140 | 46 x 135mm | 40 | | |
| Size – 180mm | depth (FB18) | | | |
| FB35180 | 36 x 182mm | 30 | | |
| FB42170 | 43 x 170mm | 30 | | |
| FB45180 | 46 x 177mm | 30 | | |
| FB58170 | 59 x 170mm | 30 | | |
| Size – 220mm | depth (FB22) | | | |
| FB42220 | 43 x 218mm | 15 | | |
| FB45220 | 46 x 217mm | 15 | | |
| FB58220 | 59 x 210mm | 15 | | |
| Other sizes | | | | |
| FB65170 | 65 x 168mm (FB65) | 25 | | |
| FB70200 | 70 x 195mm (FB20) | 25 | | |
| FB84200 | 85 x 197mm (FB20) | 25 | | |
| FB90200 | 90 x 195mm (FB20) | 25 | | |
| Pryda Longreach Floor Truss Hangers | | | | |
| FB72163 | 72 x 164mm (FB72) | 25 | | |
| FB94152 | 94 x 153mm (FB94) | 25 | | |
| | | | | |



Pryda 35x3.15mm Galvanised Pryda Timber Connector Nails





Framing Bracket





Framing Bracket


Framing Brackets - Merchant Packs

| Product Code | Product Internal Dimensions (Width x Height) | Packed | |
|---|--|--------|--|
| Merchant Packs – Individually Bar-coded | | | |
| Size – 60mm dept | h (FB60) | | |
| MPFB3860 | 39 x 60mm | 45 | |
| MPFB5060 | 50 x 54mm | 45 | |
| Size - 90mm dept | h (FB90) | | |
| MPFB3590 | 36 x 82mm | 45 | |
| MPFB3890 | 39 x 81mm | 45 | |
| MPFB4590 | 46 x 77mm | 45 | |
| MPFB5090 | 50 x 75mm | 45 | |
| Size – 120mm dep | oth (FB12) | | |
| MPFB35120 | 36 x116mm | 45 | |
| MPFB38120 | 39 x 115mm | 45 | |
| MPFB45120 | 46 x 111mm | 45 | |
| MPFB50120 | 50 x 109mm | 45 | |
| Size – 140mm dep | oth (FB14) | | |
| MPFB35140 | 36 x 140mm | 40 | |
| MPFB38140 | 39 x 138mm | 40 | |
| MPFB45140 | 46 x 135mm | 40 | |
| MPFB50140 | 50 x 133mm | 40 | |
| Size – 180mm dep | th (FB18) | | |
| MPFB38180 | 39 x 181mm | 30 | |
| MPFB45180 | 46 x 177mm | 30 | |
| MPFB50180 | 50 x 175mm | 30 | |
| Size – 220mm depth (FB22) | | | |
| MPFB50220 | 50 x 215mm | 15 | |
| Prvda 35 x3.15mm | Galvanised Pryda Timber Connector N | lails | |




Joist Hangers – Heavy Duty (JH)

| Product Code | Article & Size | Packed | |
|---|---------------------------------------|--------|--|
| | Pryda Heavy Duty Joist Hangers 1 | .2 mm | |
| JHH58 | 126 mm – For 59mm Timber | 10 | |
| JHH65 | 126 mm - For 65mm Timber | 10 | |
| JHH75 | 126 mm - For 75mm Timber | 10 | |
| JHH100 | 140 mm - For 95mm Timber | 10 | |
| | Pryda Split Joist Hangers 1.6 n | nm | |
| JHHS | 5 Right Hand & 5 Left Hand per Carton | 10 | |
| Pryda 35x3.15mm Galvanised Pryda Timber Connector Nails | | | |



Heavy Duty Joist Hanger



Split Joist Hanger

13

Effective 1 November, 2013.




I-Joist Hangers

| Product Code LF235/40 LF297/40 LF190/45 LF240/45 LF300/45 | Article & Size Face Mount 41 x 237mm 41 x 297mm 46 x 189mm 46 x 235mm | Packed ed (LF) 25 25 |
|---|---|-------------------------|
| LF235/40 LF297/40 LF190/45 LF240/45 | Face Mount 41 x 237mm 41 x 297mm 46 x 189mm | 25 |
| LF297/40 LF190/45 LF240/45 | 41 x 237mm 41 x 297mm 46 x 189mm | 25 |
| LF297/40 LF190/45 LF240/45 | 41 x 297mm 46 x 189mm | <u> </u> |
| LF240/45 | | |
| | 46 x 235mm | 25 |
| LF300/45 | | 25 |
| | 46 x 297mm | 25 |
| LF190/50 | 52 x 189mm | 25 |
| LF235/50 | 52 x 232mm | 25 |
| LF297/50 | 52 x 297mm | 25 |
| LF240/53 | 53 x 240mm | 25 |
| LF340/60 | 60 x 343mm | 25 |
| LF200/65 | 65 x 200mm | 25 |
| LF235/65 | 65 x 235mm | 25 |
| LF290/65 | 65 x 290mm | 25 |
| LF340/65 | 65 x 340mm | 25 |
| LF235/70 | 70 x 235mm | 25 |
| LF290/70 | 70 x 290mm | 25 |
| LF400/70 | 70 x 400mm | 25 |
| LF235/90 | 90 x 235mm | 25 |
| LF290/90 | 90 x 290mm | 25 |
| LF350/90 | 90 x 350mm | 25 |
| LF220/105 | 105 x 220mm | 10 |
| LF235/120 | 120 x 235mm | 10 |
| LF290/130 | 130 x 290mm | 10 |
| LF235/140 | 140 x 235mm | 10 |
| LF290/140 | 140 x 290mm | 10 |
| LF235/180 | 184 x 235mm | 10 |
| | Variable Slo | pe (LF) |
| LF224/90VS | 90 x 224mm | 10 |
| Skewed Left or Right (LF) | | |
| LF275/60SL | 60 x 275mm | 10 |
| LF275/60SR | 60 x 275mm | 10 |
| LF215/90SL | 90 x 215mm | 10 |
| LF215/90SR | 90 x 215mm | 10 |
| Variable Skew Angle (LF) | | |
| LVSIA | 75 x 50 x 5 x150mm | 10 |


Note: Refer to I-Joist Hanger Cross Reference Guide in Reference Section Page 31

Note: Screws and nails are not included in the LVSIA carton.


No 6 x 30mm Bugle Head or Wafer Head Wood Screws



LF I-joist Hangers
- Face Mounted



VS I-joist Hangers -Variable Slope



SL = Skewed Left SR = Skewed Right



Variable Skew Angle



I-Joist Hangers

| Product Code | | icle Packed Size |
|-----------------|-------------------|--|
| | Тор | Mounted (LT) |
| LT240/40 | 41 x 240mm | 25 |
| LT300/40 | 41 x 300mm | 25 |
| LT300/47 | 46 x 300mm | 25 |
| LT200/50 | 50 x 200mm | 25 |
| LT240/50 | 50 x 240mm | 25 |
| LT240/52 | 52 x 240mm | 25 |
| LT300/52 | 52 x 300mm | 25 |
| LT360/60 | 60 x 360mm | 25 |
| LT240/65 | 65 x 240mm | 25 |
| LT245/65 | 65 x 245mm | 25 |
| LT302/65 | 65 x 302mm | 25 |
| LT360/65 | 65 x 360mm | 25 |
| LT240/70 | 70 x 240mm | 25 |
| LT300/70 | 70 x 300mm | 25 |
| LT240/90 | 90 x 240mm | 25 |
| LT300/90 | 90 x 300mm | 25 |
| LT360/90 | 90 x 360mm | 25 |
| LT400/90 | 90 x 400mm | 25 |
| LT240/105 | 105 x 240mm | 25 |
| LT300/105 | 105 x 302mm | 10 |
| LT240/140 | 140 x 240mm | 10 |
| LT300/140 | 140 x 300mm | 10 |
| Pryda 35x3.75i | mm Galvanised Pry | da Timber Connector Nails (included in carton) |




No. 6 x 30mm Bugle Head or Wafer Head Wood Screws

Note Refer to I-Joist Hanger Cross Reference Guide in Reference Section Page 31


Beam Hangers (BB)

| Product Code | Article & Size | Packed | |
|-------------------------------------|--|--------|--|
| Pryda | Pryda Beam Hangers 3.0mm – Hot Dipped Galvanised | | |
| BB180 | 186 x 77mm | 1 | |
| BB300 | 306 x 77mm | 1 | |
| BBT125240 | 240x125mm * | 8 | |
| BBT180240 | 240x180mm | 1 | |
| BBT180300 | 300x180mm | 1 | |
| BBT180360 | 360x180mm | 1 | |
| Galvanised M10 x 50 mm Coach screws | | | |

^{*}BBT125240 is packed with No.12 x 35mm type 17 hex-head screws.



LT = Top Mounted




Beam Hanger



Hip Support Bracket (TB)


| Product Code | Article & Size | Packed | |
|--------------------------------------|-------------------|--------|--|
| Pryda Support Bracket 3.0mm | | | |
| HSB 75 x 68 x 100 x 3mm 50 | | | |
| No. 12 x 35 Type 17 Screw (WTF12-35) | | | |



Hip Support Bracket

Joist Boots - Multi-Fix (TB)

| Product | Article | Packed |
|---------|---------------------------------|--------|
| Code | & Size | |
| | Pryda Joist Boots 1.6mr | n |
| TBJ35 | 125 Flange x 38mm | 10 |
| TBJ35/T | 125 Flange x 38mm - with tongue | 10 |
| TBJ45 | 125 Flange x 50mm | 10 |
| TBJ70 | 100 Flange x 70mm | 10 |




Joist Boot

Note: See table at bottom of page for suggested fasteners

Truss Boots – Multi-Fix (TB)

| Product Code | Article & Size | Packed |
|-----------------|--|--------|
| | Pryda Truss Boots 1.6mm | |
| TB35/12 | 190 Flange x 38mm- suit M12 bolts/No.12 screws | 10 |
| TB35/16 | 190 Flange x 38mm- suit M16 bolts/No.12 screws | 10 |
| TB45/16 | 190 Flange x 50mm- suit M16 bolts/No.12 screws | 10 |




Truss Boot- Multi-Fix

Note: See table at bottom of page for suggested fasteners

Truss Boots - Heavy Duty (TB)

| Product Code | Article & Size | Packed | |
|---|---|----------------|--|
| Pryda H | eavy Duty Truss Boots 5.0 mm - Hot Dipp | oed Galvanised | |
| TB80C | 275 Flange – suit M16 bolts (central profile) | 1 | |
| TB80V | 275 Flange – suit M16 bolts Hinged | 1 | |
| Pryda Heavy Duty Truss Boots 4.0 mm - Hot Dipped Galvanised | | | |
| TBHD75 | 275 Flange – suit M16 bolts (central profile) | 1 | |
| TBHD75/T | Twin Fin - 275 Flanges – suit M16 bolts (central profile) | 1 | |
| Prvda Bolt Kir | to | | |

Pryda Anti-Split Claw Plate – see Hangers & Truss Boots Guide page 18





Truss Boot- Heavy Duty






Truss Boot - Twin Fin


16




Knuckle Nailplates (NP)


| Product Code | Article & Size | Packed | |
|---|-------------------------------|---------------|--|
| ı | Pryda Knuckle Nailplates 1.0m | m (33mm wide) | |
| TP4R4 | 33 mm wide x 127mm | 133 | |
| TP6R4 | 33 mm wide x 190mm | 89 | |
| | Pryda Knuckle Nailplates 1.0m | m (38mm wide) | |
| MP4R5 | 38 mm wide x 127mm | 100 | |
| MP6R5 | 38 mm wide x 190mm | 66 | |
| ı | Pryda Knuckle Nailplates 1.0m | m (67mm wide) | |
| MP4R8 | 67 mm wide x 127mm | 66 | |
| MP6R8 | 67 mm wide x 190mm | 44 | |
| MP8R8 | 67 mm wide x 254mm | 33 | |
| Pryda Knuckle Nailplates 1.0mm (76mm wide) | | | |
| MP2R10 | 76 mm wide x 63mm | 100 | |
| TP3R10 | 76 mm wide x 95mm | 66 | |
| MP4R10 | 76 mm wide x 127mm | 50 | |
| MP6R10 | 76 mm wide x 190mm | 33 | |
| MP8R10 | 76 mm wide x 254mm | 26 | |
| Pryda Knuckle Nailplates 1.0mm (134mm wide) | | | |
| MP4R16 | 134 mm wide x 127mm | 33 | |
| MP6R16 | 134 mm wide x 190mm | 22 | |
| MP8R16 | 134 mm wide x 254mm | 16 | |
| | | | |







CODE EXPLANATION





Merchant Pack

No. of rows of Knuckles

No. of Knuckles in a row







Mininail (CL)

| Product | A | Article | Packed | |
|---------------------------------------|-----------|---------|--------|--|
| Code | 8 | k Size | | |
| Pryda Mininail 1.0mm | | | | |
| 2C1S | 50 x 25mm | | 500 | |
| Merchant Packs Individually Bar-coded | | | | |
| MP2C1S | 50 x 25mm | | 7 x 30 | |

Nail-on Plates (AA)


| Product Code | Article & Size | Packed |
|------------------|---------------------------|-----------------|
| | Pryda Nail-on Pla | tes 1.0mm |
| NPA75/125 | 75 x 125mm | 60 |
| NPA75/190 | 75 x 190mm | 40 |
| NPA75/250 | 75 x 250mm | 30 |
| NPA75/315 | 75 x 315mm | 25 |
| NPA75/380 | 75 x 380mm | 20 |
| NPA100/190 | 100 x 190mm | 28 |
| NPA150/250 | 150 x 250mm | 15 |
| NPA150/315 | 150 x 315mm | 12 |
| Prvda 35v3 15 mr | m Galvanised Pryda Timber | Connector Nails |









Strap Nails (SN)







Strap Nail














Bin Straps (NB)

| Product Code | Article & Size | Packed | |
|-----------------------------|-------------------|--------|--|
| Pryda Bin Straps 1.2mm (NB) | | | |
| 8N5B1 | 64 x 190 x 44mm | 75 | |

Shunt Plates (N5)

| Product Code | Article & Size | Packed | |
|-----------------|------------------------|---------|--|
| | Pryda Shunt Plates 1.2 | mm (N5) | |
| 5N10 | 88 x 159mm with hole | 80 | |

Pole Cats (PCT)

| Product Code | Article & Size | Packed | |
|-----------------|---------------------------|--------|--|
| | Pryda Pole Cats | | |
| PCAT150 | 150mm dia with 65mm hole | 72 | |
| PCAT200 | 200mm dia with 100mm hole | 48 | |
| PCAT250 | 250mm dia with 75mm hole | 36 | |
| PCAT300 | 300mm dia with 100mm hole | 24 | |

Connector Plate (CP)

| Product Code | Article & Size | Packed |
|-----------------|----------------------|--------|
| | Pryda Connector Plat | Δ. |

Pryda Connector Plate


| CPPQ | 110 x 60 x 0.8mm | 100 |
|------------------|-------------------------|-----------------|
| Prvda 35x3.15 mm | Galvanised Pryda Timber | Connector Nails |

Corner Plate (CP)

| Product Code | Article & Size | Packed | |
|-----------------|-------------------|--------|--|
| | Pryda Corner F | Plate | |
| CPL | 110 x 60 x 30mm | 150 | |







Anti Crush Plate

Anti-Crush Plate (GMP)

| Product | Article | Packed | |
|------------------------------|-------------|--------|--|
| Code | & Size | | |
| Pryda Anti-Crush Plate 6.0mm | | | |
| ACP | 140 x 75 mm | 5 | |


Fascia Support (UH)

| Product | Article | Packed |
|---------|---------|--------|
| Code | & Size | |

Pryda Fascia Support 2.0mm

Merchant Packs - Individually Bar-coded

| MPUFB | 110 x 300 x 50mm wide | 20 (10 Left | |
|-------|---------------------------|-------------|--|
| | Fold at 90° (410mm length | Hand & 10 | |
| | overall) | Right Hand) | |



Fascia Support

Pergola Angles (CPA)

| Product | Article | Packed |
|---------|---------|--------|
| Code | & Size | |

Merchant Packs - Individually Bar-coded

MPCPA 88 x 63 x 36 x 1.6mm



Pryda Truss Spacer (PTS)

| Product | Article | Packed | |
|--------------------|----------------------|--------|--|
| Code | & Size | | |
| Pryda Truss Spacer | | | |
| PTS600 | Truss Spacer – 600mm | 50 | |
| PTS900 | Truss Spacer – 900mm | 20 | |





Pryda Truss Spacer

Pergola Angle



Universal Heavy Duty Angle (UH)

| Product | Article | Packed | |
|---------|---------|--------|--|
| Code | & Size | | |

Merchant Packs - Individually Bar-coded

MPUHDA 230 x 40 x 40 x 2.0mm 2

No 12 x suitable length Type 17 Screw



Fix - Foil Fix (SF)

| Product | Article | Packed |
|---------|-----------------|---------|
| Code | & Size | |
| | Foil Fix (21 | x 21mm) |
| SFF | 50 strips of 10 | 500 |

Fix - Pryda Fix (SF)

| Product Code | Article & Size | Packed |
|-----------------|--|-----------|
| | Pryda Fix (30 x 30mm |) |
| SFI | 150 Strips of 5 – zinc | 750 |
| | Merchant Packs – Individually | Bar-coded |
| MPSFI | Pre-packed 30 x 30 x 0.8mm (7 x 10 strips of 5- zinc) | 7 x 50 |


Fix - Shade Fix (SF)

| Product | Article | Packed |
|---------|---------|--------|
| Code | & Size | |


Shade Fix (50 x 13mm)

Merchant Packs - Individually Bar-coded


| MPSFMZ | Pre-pack Shadefix - Zinc | 10x 50 | |
|--------|---------------------------|---------|--|
| MPSFMB | Pre-pack Shadefix - Brown | 10 x 50 | |
| MPSFMG | Pre-pack Shadefix - Green | 10 x 50 | |




Universal Heavy Duty Angle



Foil Fix



Pryda Fix



Effective 1 November, 2013.




Barge Angles (GMP)

| Product Code | Article & Size | Packed | |
|--------------------|------------------------------|--------|--|
| Pryda Barge Angles | | | |
| EBA | External – 50 x 50 x 2400mm | 25 | |
| IBA | Internal – 120 x 30 x 2400mm | 25 | |

75 x 3.75mm Flat Head Nails

Hoop Iron & Strapping (GMP)

| | o. o a.pp g (o | / | |
|---|----------------------------|------------|--|
| Product | Article | Packed | |
| Code | & Size | | |
| | Pryda Hoop Iron 0.6 x 25 | mm (GMP) | |
| Not suitable for structural bracing | | | |
| GHP15 | 0.6 x 25mm x 15m Punched | 5 Coils | |
| GHP30 | 0.6 x 25mm x 30m Punched | 1 Coil | |
| Pryda Hoop Iron 0.8 x 25mm (SB) | | | |
| | Not suitable for structure | al bracing | |
| SB082/6 | 25 x 0.8mm x 6m | 1 Coil | |
| SB082/15 | 25 x 0.8mm x 15m | 1 Coil | |
| SB082/30 | 25 x 0.8mm x 30m | 1 Coil | |
| Pryda Unpunched Strapping (GMP) | | | |
| GUS083/30 | 0.8 x 30mm x 30m | 1 Coil | |
| Pryda 35x3.15mm Galvanised Pryda Timber Connector Nails | | | |



Barge Angle



Hoop Iron



Unpunched Strapping



Post Anchors - Individually Bar-coded

| Product | Article | Packed |
|---------|---------|--------|
| Code | & Size | |

Pryda Full Stirrup Post Anchors Hot Dip Gal - 4mm Steel. 25mm dia stem (PA)

| - 4mm Steel, 25mm dia stem (PA) | | |
|--|-----------------------------------|-------------------|
| PSFS6590 | 65 mm leg for 90 mm post | 10 |
| PSFS65100 | 65 mm leg for 100 mm post | 10 |
| PSFS13090 | 130 mm leg for 90 mm post | 10 |
| PSFS130100 | 130 mm leg for 100 mm post | 10 |
| PSFS130115 | 130 mm leg for 115 mm post | 10 |
| PSFS130125 | 130 mm leg for 125 mm post | 10 |
| PSFS20090 | 200 mm leg for 90 mm post | 10 |
| PSFS200100 | 200 mm leg for 100 mm post | 10 |
| PSFS30090 | 300 mm leg for 90 mm post | 10 |
| PSFS300100 | 300 mm leg for 100 mm post | 10 |
| PSFS300115 | 300 mm leg for 115 mm post | 10 |
| PSFS300125 | 300 mm leg for 125 mm post | 10 |
| PSFS45090 | 450 mm leg for 90 mm post | 10 |
| PSFS450100 | 450 mm leg for 100 mm post | 10 |
| PSFS450115 | 450 mm leg for 115 mm post | 10 |
| PSFS450125 | 450 mm leg for 125 mm post | 10 |
| PSFS60090 | 600 mm leg for 90 mm post | 10 |
| PSFS600100 | 600 mm leg for 100 mm post | 10 |
| | Pryda Half Stirrup Post (PA) | |
| PSHS65 | 65 mm leg Half Stirrup | 10 |
| PSHS130 | 130 mm leg Half Stirrup | 10 |
| PSHS200 | 200 mm leg Half Stirrup | 10 |
| PSHS300 | 300 mm leg Half Stirrup | 10 |
| | Pryda Centre Fix Post Anchors | (PA) |
| PSCF130 | 130 mm leg Centre Fix | 10 |
| PSCF300 | 300 mm leg Centre Fix | 10 |
| | Pryda Centre Pin Post Anchors | (PA) |
| PSCP130 | 130 mm leg Centre Pin | 10 |
| PSCP300 | 300 mm leg Centre Pin | 10 |
| Pryda High | Wind Post Anchors Hot Dip Gal - | - 5 mm Steel (PS) |
| PSQ30090/12 | 300 x 50 mm for 90 mm post | 6 |
| PSQ300100/12 | 300 x 50 mm for 100 mm post | 6 |
| PSQ45090/12 | 450 x 50 mm for 90 mm post | 6 |
| PSQ450100/12 | 450 x 50 mm for 100 mm post | 6 |
| PSQ60090/12 | 600 x 50 mm for 90 mm post | 6 |
| PSQ600100/12 | 600 x 50 mm for 100 mm post | 6 |
| PSQ600125/12 | 600 x 50 mm for 125 mm post | 6 |
| PSQ600150/12 | 600 x 50 mm for 150 mm post | 6 |
| Pryda Adjus | stable Post Anchors Hot Dip Gal - | - 4 mm Steel (PS) |
| PS85 | 85 mm leg length | 10 |
| PS160 | 160 mm leg length | 10 |
| Pryda Bolt Down Post Anchors 2mm Stirrup / 3mm Base (PS) | | |
| PSB90G | Hot Dip Gal for 90mm post | 12 |
| PSB100G | Hot Dip Gal for 100mm post | 12 |
| PSB115G | Hot Dip Gal for 115mm post | 12 |

12




Hot Dip Gal for 125mm post




Full Stirrup Post Anchors




Half Stirrup Post Anchors



Centre Fix Post Anchors



Centre Pin Post Anchors



High Wind Post Anchors



Adjustable Post Ancho



Bolt Down Post Anchors

PSB125G



Timber Connector Nails (OSN)

| Product Code | Article & Size | Cartons per outer | Packed | |
|---|--------------------------|-----------------------------|--------|--|
| Pryda Timber Connector Nails 35 x 3.15mm Approx. 180 Nails per 500g Carton | | | | |
| OSNGB | Galvanised 500g per pkt | 10 cardboard pks per carton | 5kg | |
| OSNGC/S | Galvanised 500g per pkt | 5 clamshell pkts | 2.5kg | |
| OSNG | Galvanised 1kg per pkt | 10 cardboard pks per carton | 10kg | |
| TPOSNG | Galvanised 5kg Trade Pk | 1 Easy Seal carton | 5kg | |
| OSNG15 | Galvanised 15kg per crtn | 1 cardboard Carton | 15kg | |
| Pryda Timber Connector Nails 35 x 3.75mm for Top Mount I-Joist Hangers Approx. 140 Nails per 500g Carton | | | | |
| OSNIB35/S | Galvanised 500g x 10pkts | 10 cardboard pks per carton | 5kg | |
| Pryda Timber Connector Nails 40 x 3.75mm for Face Mount I-Joist Hangers | | | | |
| | Approx. 125 Na | ails per 500g Carton | | |
| OSNIB/S | Galvanised 500g x 10pkts | 10 cardboard pks per carton | 5kg | |



| Product Code | Article & Size | Packed |
|-----------------|-------------------|----------|
| | Dynabolts - Zin | c Plated |
| DP12100 | 12 x 98mm | 20 |

Ramset AnkaScrews® (AS)

| Product Code | Article & Size | Packed | |
|--------------------------|-------------------|--------|--|
| AnkaScrews – Zinc Plated | | | |
| AS12100 | M12 x 100mm | 50 | |



Timber Connector Nails – Galvanised









Screwshank Nail

Collated Coil Nails (WCCN)

| Product Code | Article & Size | Packed |
|-----------------|--|--------|
| | Collated Coil Nails | |
| D40810 | 32 x 2.3mm Duo Fast Screw Hardened Electo Gal, Plastic Collated, Diamond Point | 3,600 |
| B25110 | 32 x 2.5mm Paslode Screw Hardened, Electro, Galv Plastic, Diamond Point | 3,600 |
| B25140 | 50 x 2.0mm Paslode Ring Shank HDG Diamond Point | 1,800 |
| B22127 | 56 x 2.87mm Paslode Screw Shank, Wire Weld Coil Nail, Bright, Diamond Point | 6,000 |
| B22154 | 75 x 3.15mm Paslode Ring Shank, Wire Weld Coil Nail, Bright, Diamond Point | 4,500 |
| B22158 | 75 x 2.87mm Paslode Smooth Shank, Wire Weld Coil Nail, Bright, Diamond Point | 4,500 |
| B22070 | 90 x 3.06mm Paslode Smooth Shank Maxi Coil – 1000 Nails Wire Weld Coil Nail Bright Diamond Point | 6,000 |

Collated Stick Nails (WCSN)

| Condica | otion Hallo (110011) | |
|-----------------|---|--------|
| Product Code | Article & Size | Packed |
| | Paper Collated Stick Nails | |
| B20465 | 65 x 2.87mm Paslode JDN Strip Nails, Smooth Shank, Bright, Diamond Point | 3,000 |
| B20529 | 65 x 2.87mm Paslode JDN Strip Nails, Smooth Shank, Hot Dip Galvanised, Diamond Point | 3,000 |
| B20531 | 65 x 2.87mm Paslode JDN Strip Nails Ring Shank, Bright, Diamond Point | 3,000 |
| B20466D | 75 x 3.06mm Paslode JDN Strip Nails, Smooth Shank, Bright – Diamond Point STRIP OF 30 NAILS | 3,000 |
| B20467 | 75 x 3.06mm Paslode JDN Strip Nails, Smooth Shank, Bright – Diamond Point STRIP OF 40 NAILS | 3,000 |
| T75305SB | 75 x 3.05mm JDN Strip Nails, Smooth Shank, Bright – Diamond Point STRIP OF 40 NAILS | 3,000 |
| B20468 | 75 x 3.06mm Paslode JDN Strip Nails, Smooth Shank, Bright, Shear Point | 3,000 |
| B20529D | 75 x 3.06mm Paslode JDN Strip Nails, Hot Dip Galvanised, Smooth Shank, Diamond Point | 3,000 |
| B20539 | 75 x 3.06mm Paslode JDN Strip Nails Ring Shank, Bright, Diamond Point | 3,000 |
| B20469 | 90 x 3.15mm Paslode JDN Strip Nails, Smooth Shank, Bright, Diamond Point | 3,000 |
| B20470 | 90 x 3.15mm Paslode JDN Paper collated Strip Nails, Bright, Shear Point | 3,000 |
| B20529F | 90 x 3.15mm Paslode JDN Strip Nails Hot Dip Galvanised, Smooth Shank, Diamond Point | 3,000 |
| · | | · |



Plain Shank Nail




Collated Staples (WCS)

| Product Code | Article & Size | Packed |
|-----------------|--|--------|
| | Collated Staples | |
| A10503 | Paslode W5562 16mm Staples, Smooth, Shank, Coated | 10,000 |
| A10505 | Paslode W5562 19mm Staples, Smooth Shank, Coated | 10,000 |



Corrugated Fasteners (WCF)

| Product Code | Arti & S | • | |
|----------------------|-------------|---|--|
| Corrugated Fasteners | | | |
| A10562 | 25 x 10mm | 5,000 | |



Paslode Tools (WFST)

| Product Code | Article & Size | Packed |
|-----------------|---|--------|
| | Tools | |
| B20430 | PowerMaster PF350-S | 1 |
| B21095 | Paslode Pneumatic CNW70.2 Coiler Nailer | 1 |
| B26100 | Positive Placement Nailer F250S | 1 |
| D40010 | CNP50 Coil Nailer | 1 |
| B21100 | P350C Coil Nailer | 1 |
| D91300 | SW1748 Stapler | 1 |
| A10555 | CF15 Corrugated Fastening Tool | 1 |



PowerMaster 350 Framing Tool

Paslode Accessories (WOSS)

| | • | , | |
|---------|----------------------------------|---|--------|
| Product | Article | | Packed |
| Code | & Size | | |
| | Tools | | |
| F27625 | Paslode Duo-Fast Lubricating Oil | | 1 |



CNP50 Coil Nailer



SW1748 Stapler




Paslode Lubricating Oil






Self Drilling Screw



Set Screws



Set Screw Washer

Self Drilling Screws (WSTF)

| Product | Article | Packed |
|----------|------------------------------|---------|
| Code | & Size | |
| | Self Drilling Screw | /S |
| WTF12-35 | No12 x35mm Type 17 Hex-head | screw |
| | | 1,000 |
| WTF12-65 | No12 x 65mm Type 17 Hex-head | d screw |
| | | 1,000 |

Bolt Kits for Truss Boots (OBK)

| Product | Article | Packed |
|---------|--|----------------|
| Code | & Size | |
| Pryda | Bolt Kits (for Truss Boots) - Hot Dip | ped Galvanised |
| OBK312 | 20 kits x 4 M12 Bolts, Nuts & Washers - suit TB35/12, TBS35, TBJ35, TBJ45, TBJ70 | 80 |
| OBK816 | 10 kits x 6 M16 Bolts, Nuts & Washers - suit TB80, TBHD75 | 60 |

Set Screws (OBS)

Code

| Product | Article | Packed |
|-----------|-----------------------------|--------------------------|
| Code | & Size | |
| Pryda Se | et Screws – Hot Dipped Galv | vanised (including Nuts) |
| OBS12/65 | M12 x 65mm | 200 |
| OBS12/100 | M12 x 100mm | 125 |
| OBS16/110 | M16 x 110mm | 75 |

Set Screw Washers (OBS) Product Article


| Pryda Set Screw Washers – Zinc Plated & Galvanised | | | |
|--|--|-----|--|
| OW12/40S | 40 sq x 5mm Galv – suit M12 Ramset AnkaScrews® | 50 | |
| OW12/56S | 56 sq x 3mm Galv – suit M12 bolts or set screws | 100 | |
| OW16/63S | 63 sq x 5mm Galv – suit M16 bolts or set screws | 40 | |

& Size


Note: These washers are for use where the bolt head or nut bears directly onto timber. They comply with Table 4.12 of AS1720.1 Timber Structures.


Packed







| 6 | |
|------------------|-----------|
| Strap Brace With | Tensioner |








Framing Brackets





Strap Brace & Tensioners - Stainless Steel (SS)

| | | | • | • |
|--------------|--------------------------------------|--------------|---|---|
| Product | Article | Packed | | |
| Code | & Size | | | |
| | Pryda Strap Brace Stainles | s Steel | | |
| | | | | |
| SB102/SS | 25 x 1.0mm x 15m | 1 | | |
| | Pryda Tensioners Stainles | s Steel | | |
| SBT/SS | Includes Wing Nut and 'T' bolt | 1 | | |
| Pryda 35x3.1 | 5mm Stainless Steel Pryda Timber Con | nector Nails | | |

Multigrips - Stainless Steel (SS)

| Product Code | Article & Size | Packed | |
|-----------------|---------------------------|----------|--|
| | Pryda Multigrips Stainles | ss Steel | |
| MG/S | 100 x 35mm – No Nails | 20 | |
| | | | |

Minigrips - Stainless Steel (SS)

Product

| Product Code | Article & Size | Packed | |
|-----------------|-----------------------|------------|--|
| | Pryda Minigrips Stain | less Steel | |
| MPMGS/SS | 57 x 35mm | 20 | |

Framing Brackets – Stainless Steel (SS)

| | Code | & Size | |
|--|---------------------|-----------------------------|------------|
| | | Framing Brackets Stain | less Steel |
| | MPFB3590/SS | 35 x 90mm (nominal) | 20 |
| | MPFB4590/SS | 45 x 90mm (nominal) | 20 |
| | MPFB45120/SS | 45 x 120mm (nominal) | 20 |
| | See page 11 for the | Framing Bracket range using | Galv steel |

Pergola Angle - Stainless Steel (SS)

Pryda 35 x3.15mm Stainless Steel Pryda Timber Connector Nails

| Product | Article | Packed | | | |
|---|----------------------|--------|--|--|--|
| Code | & Size | | | | |
| Pergola Angle Stainless Steel | | | | | |
| MPCPA/SS | 88 x 63 x 36 x 1.6mm | 20 | | | |
| Prvda 35 x3.15mm Stainless Steel Prvda Timber Connector Nails | | | | | |

Timber Connector Nails – Stainless Steel (SS)

| i ioddol | Altiolo | i acked | |
|-----------|---------------------------|-----------------|--|
| Code | & Size | | |
| Pry | da Timber Connector Nails | Stainless Steel | |
| OSNBCI/SS | 35 x 3.15mm Flat Head | 1 x 500gm | |
| | | | |



Reference Section

| Timber Connector Fixing Guide | 29 |
|--------------------------------------|----|
| Fastener Cross Reference Guide | 30 |
| Merchant Packs Index | 30 |
| I-Joist Hanger Cross Reference Guide | 31 |

Timber Connector Fixing Guide

The size of nail, screw or bolt required for fixing is specified on each Pryda timber connector label. The quantity of nails required for each connector is specified on the Pryda Timber Connector Nail pack label.

Note: Pryda recommends that galvanised protection of all nails, screws and bolts is required to comply with the corrosion protection requirements of the Australian Standard for Residential Timber-Framed Construction AS1684-1999.

Pryda Timber Connector Nails

Pryda Timber Connector Nails must be used with Pryda structural connectors in the quantity specified to ensure the required design strength of the connector is achieved.



Pryda galvanised timber connector nails are specified for most structural connection applications and are available in 3 sizes – 35mm x 3.15, 35mm x 3.75 and 40mm x 3.75.



Pryda stainless steel timber connector nails are required for applications where stainless steel connectors are specified and are available in 1 size – 35mm x 3.15.

Other Fixings (Galvanised)



Flat head nails as required for structural connections where specified.



Bolts are required for structural connections where specified.



Self drilling wood screws are required for structural connections where specified.



Bugle head wood screws are required for structural connections where specified.



Fastener Cross Reference Guide

| Pryda Connector | Related Fastener |
|--|--|
| Beam Hanger | Galvanised M10 x 75 mm coach screws or 75x3.75 mm galvanised flat head nails |
| Bottom Plate Anchor | Pryda 35 x 3.15mm Galvanised Timber Connector Nails |
| Bracing | Pryda 35 x 3.15mm Galvanised Timber Connector Nails |
| Connector Plate, Corner Plate, Cyclone Strap | Pryda 35 x 3.15mm Galvanised Timber Connector Nails |
| Fascia Support | M12 Bolts, Nuts & Washers |
| I-Joist Hangers | Pryda 40 x 3.75mm Galvanised Timber Connector Nails |
| | No.6 x 30mm Bugle Head or Wafer Head Type 17 Screws |
| | No.10 x30mm countersunk, Type 17 screws for LVSIA Angles |
| Framing Brackets | Pryda 35 x 3.15mm Timber Connector Nails or No.12 x 35 Type 17 Self drilling screws |
| Joist Hangers - Heavy Duty | Pryda 35 x 3.15mm Galvanised Timber Connector Nails |
| | or No.12 x 35 Type 17 Self drilling screws – No.8 x 25 screws for Split Joist Hangers |
| Joist Strap, Log Support Bracket, Minigrip, Mitre Plates, Multigrip, Nail- On Plates, Pergola Angles | Pryda 35 x 3.15mm Galvanised Timber Connector Nails |
| Post Anchor - Adjustable | M10 x 50mm Galvanised Coach Screws |
| Post Anchor - Bolt Down | M10 Galvanised Bolts, Nuts & Washers or M10 x 50mm Galvanised Coach Screw |
| Post Anchor - Centre Fix | M10 Galvanised Bolts, Nuts & Washers |
| Post Anchor - Centre Pin | M10 x 75mm Galvanised Coach Screws |
| Post Anchor - Full Stirrup | M10 Galvanised Bolts, Nuts & Washers or M10 x 40mm Galvanised Coach Screws |
| Pryda Hitch, Pryda Shear Connector | Pryda 35 x 3.15mm Galvanised Timber Connector Nails |
| Single Sided Stud Ties | STS3R&L: Paslode Screw Shank Nails (D40810) |
| | STS3HR&L: Pryda 35 x 3.15mm Galvanised Timber Connector Nails |
| Triple Grips | Pryda 35 x 3.15mm Galvanised Timber Connector Nails |
| Truss Boots & Joist Boots - Multi-Fix | Pryda Bolt Kits or Pryda Set Screws & Washers M12 or M16 Galvanised Bolts, Nuts & Washers Pryda 35 x 3.15mm Galvanised Timber Connector Nails, Pryda Anti-Split Claw Plates, No.12 x 35 Type 17 Screws (WTF12-35) |
| Truss Boots - Heavy Duty | Pryda Bolt Kits or Pryda Set Screws & Washers or |
| | M16 Galvanised Bolts, Nuts & Washers and Pryda Anti-Split Claw Plates |
| Truss Tie, Unitie | Pryda 35 x 3.15mm Galvanised Timber Connector Nails |
| Universal Heavy Duty Angle | No.12 Type 17 Screws x suitable length |
| | |

Merchant Packs Index

| MCTOHAIR T GORS HIGCK | |
|----------------------------|----------------|
| Product Description | Page Number |
| Cyclonic Straps | 8 |
| Fascia Supports | 20 |
| Framing Brackets | 12-13 |
| Knuckle Nailplates | 17 |
| Log Support | 20 |
| Mininail | 18 |
| Multigrips & Minigrips | 10 |
| Pergola Angle | 20 |
| Pryda Fix | 21 |
| Pryda Hitch | 10 |
| Pryda Hold Down Bracket | 9 |
| Shade Fix | 21 |
| Strap Nail | 18 |
| Triple Grips | 11 |
| Unities | 11 |
| Universal Heavy Duty Angle | 21 |



I-Joist Hanger Cross Reference Guide

The recommended size of Pryda I-Joist Hangers for support of proprietary I-joists in house floors is as follows:

| I-joist Code | I-joist Size (mm) | Face Mount Hanger Code | Top Mount Hanger Code | Variable Slope & Skew Rafter Hanger Code | Variable Skew Hanger Left Code | Variable Skew Hanger Right Code | Double I-joist Hanger Code Face Mount | Double I-joist Hanger Code Top Mount |
|-----------------|-------------------------|---------------------------|-----------------------------|--|--------------------------------------|---------------------------------------|---|--|
| Carter Holt I | Harvey hy. | JOIST | | | | | | |
| HJ200-45 | 200x45 | LF190/45 | LT200/50 | LF190/47VS* | LVSIA | LVSIA | JHH100* | N/A |
| HJ240-45 | 240x45 | LF240/45 | LT240/50 | LF190/47VS* | LVSIA | LVSIA | JHH100* | N/A |
| HJ300-45 | 300x45 | LF300/45 | LT300/47 | LF190/47VS* | LVSIA | LVSIA | LF220/105* | N/A |
| HJ240-63 | 240x63 | LF235/65 | LT240/65 | LF224/65VS* | LVSIA | LVSIA | N/A | N/A |
| HJ300-63 | 300x63 | LF290/65 | LT302/65 | LF224/65VS* | LVSIA | LVSIA | LF290/130 | N/A |
| HJ360-63 | 360x63 | LF340/65 | LT360/65 | LF224/65VS* | LVSIA | LVSIA | LF290/130* | N/A |
| HJ240-90 | 240x90 | LF235/90 | LT240/90 | LF224/90VS* | LF215/90SL* | LF215/90SR* | LF235/180 | BBT180240 |
| HJ300-90 | 300x90 | LF290/90 | LT300/90 | LF224/90VS* | LF215/90SL* | LF215/90SR* | LF235/180* | BBT180300 |
| HJ360-90 | 360x90 | LF350/90 | LT360/90 | LF224/90VS* | LF215/90SL* | LF215/90SR* | LF235/180* | BBT180360 |
| HJ400-90 | 400x90 | LF350/90 | LT400/90 | LF224/90VS* | LF215/90SL* | LF215/90SR* | LF235/180* | N/A |
| Tillings Sma | rtFrame J | oist | | I | | I | | |
| SJ24040 | 240x40 | LF235/40 | LT240/40 | N/A | LVSIA | LVSIA | N/A | N/A |
| SJ30040 | 300x40 | LF297/40 | LT300/40 | N/A | LVSIA | LVSIA | N/A | N/A |
| SJ20044 | 200x44 | LF190/45 | LT200/50 | LF190/47VS* | LVSIA | LVSIA | LF190/90 | NA |
| SJ24051 | 240x51 | LF235/50 | LT240/52 | N/A | LVSIA | LVSIA | LF220/105 | LT240/105 |
| SJ30051 | 300x50 | LF297/50 | LT300/52 | N/A | LVSIA | LVSIA | LF220/105* | LT300/105 |
| SJ36058 | 360x58 | LF340/60 | LT360/60 | LF224/59VS* | LF275/60SL* | LF275/60SR* | LF235/120* | LT356/121 |
| SJ24070 | 240x70 | LF235/70 | LT240/70 | N/A | LVSIA | LVSIA | LF235/140 | LT240/140 |
| SJ30070 | 300x70 | LF290/70 | LT300/70 | N/A | LVSIA | LVSIA | LF290/140 | LT300/140 |
| SJ24090 | 240x90 | LF235/90 | LT240/90 | LF224/90VS* | LF215/90SL* | LF215/90SR* | LF235/180 | BBT180240 |
| SJ30090 | 300x90 | LF290/90 | LT300/90 | LF224/90VS* | LF215/90SL* | LF215/90SR* | LF235/180* | BBT180300 |
| SJ36090 | 360x90 | LF350/90 | LT360/90* | LF224/90VS* | LF215/90SL* | LF215/90SR* | LF235/180* | BBT180360 |
| SJ40090 | 400x90 | LF350/90* | LT400/90 | LF224/90VS* | LF215/90SL* | LF215/90SR* | LF235/180* | NA |
| Wesbeam e- | | | | | | | | |
| EJ20045 | 200x45 | LF190/45 | LT200/50 | LF190/47VS* | LVSIA | LVSIA | JHH100* | NA |
| EJ24045 | 240x45 | LF240/45 | LT240/50 | LF190/47VS* | LVSIA | LVSIA | JHH100* | NA |
| EJ24545 | 245x45 | LF240/45 | LT245/45 | LF190/47VS* | LVSIA | LVSIA | JHH100* | NA NA |
| EJ24051 | 240x51 | LF235/50 | LT240/52 | N/A | LVSIA | LVSIA | LF220/105 | LT240/105 |
| EJ24090 | 240x90 | LF235/90 | LT240/92 LT240/90 | LF224/90VS* | LF215/90SL* | LF215/90SR* | LF235/180 | BBT180240 |
| EJ30045 | 300x45 | LF300/45 | LT300/47 | LF190/47VS* | LVSIA | LVSIA | LF220/105* | |
| EJ30043 | 300x43 | LF297/50 | LT300/47 LT300/52 | N/A | LVSIA | LVSIA | LF220/105* | NA LT300/105 |
| EJ30090 | | LF297/30 LF290/90 | LT300/92 | LF224/90VS* | LF215/90SL* | LF215/90SR* | BBT180/300 | BBT180300 |
| | 300x90 | | LT245/65 | LF224/90V3 LF224/65VS* | LVSIA | | | N/A |
| EJ24563 | 245x63 360x63 | LF235/63 LF340/65 | | | | LVSIA | N/A | |
| EJ36063 | | LF340/65 LF350/90 | LT360/65 | LF224/65VS* | LVSIA | LVSIA | LF290/130* | N/A |
| EJ36090 | 360x90 | | LT360/90 | LF224/90VS* | LF215/90SL* | LF215/90SR* | LF235/180* | BBT180360 |
| EJ40090 | 400x90 | LF350/90 * | LT400/90 | LF224/90VS* | LF215/90SL* | LF215/90SR* | LF235/180* | N/A |
| LP I Joist | 225,452 | 1 F225/52 | NI/A | NI/A | 1.\/CIA | 1.\/CIA | NI/A | NI/A |
| LPI 225x53 | 225x53 | LF225/53 | N/A | N/A | LVSIA | LVSIA | N/A | N/A |
| LPI 241x53 | 241x53 | LF240/53 | LT240/52 | N/A | LVSIA | LVSIA | N/A | N/A |
| LPI 302x53 | 302x53 | LF300/53 | LT300/52 | N/A | LVSIA | LVSIA | N/A | N/A |
| LPI 225x70 | 225x70 | LF225/70 | N/A | N/A | LVSIA | LVSIA | N/A | N/A |
| LPI 241x70 | 241x70 | LF235/70 | LT240/70 | N/A | LVSIA | LVSIA | LF235/140 | LT240/140 |
| LPI 302x70 | 302x70 | LF290/70 | LT300/70 | N/A | LVSIA | LVSIA | LF290/140 | LT300/140 |
| LPI 356x70 | 356x70 | LF350/70 | N/A | N/A | LVSIA | LVSIA | N/A | N/A |
| LPI 406x70 | 406x70 | LF400/70 | N/A | N/A | LVSIA | LVSIA | N/A | N/A |

 For hangers marked *, web stiffeners must be installed in accordance with the I-joist manufacturers' specification.
 JHH100 are Heavy Duty Joist Hangers. Notes:

